



KITCHEN

2026 Retail Pricing



Effective November, 2025





Luxury Is...

"Purpose. It lives in every considered and obsessed detail, in the strength of what endures, and in the artistry of what is made by hand. It is both timeless and deeply personal. It is Waterstone — crafted for life, and crafted for you."





OUR STORY

Waterstone Faucets was founded in 1999 by Chris Kuran, initially supplying premium parts and finished components to leading drinking water filtration manufacturers. Word of Waterstone's exceptional quality and reliability spread quickly, leading customers to request something new—small institutional drinking water faucets in custom finishes.

Sensing an opportunity, Waterstone shifted course. Instead of just supplying parts, it began crafting its own line of decorative Water Filtration Faucets, designed with precision, built from the finest materials, and finished to complement the higher-end kitchen faucets being sold for designer kitchens.

By 2002, Waterstone launched its first collection of decorative Filtration Faucets, sold exclusively through trained kitchen and bath showrooms across North America. The pivot was a success—its faucets soon reached homes across the U.S. and Canada. With complete in-house control over design, engineering, manufacturing, finishing, assembling, and testing, Waterstone grew steadily, expanding production and preparing for bigger ambitions.

In 2005, guided by dealer demand, Waterstone introduced a full line of Kitchen Faucets, engineered to reflect the same distinctiveness as its original filtration faucets. The company continued to grow as a leader in niche, design-driven fixtures.

Two decades and hundreds of unique products later, Waterstone Faucets is still designed, engineered, manufactured, finished, assembled, tested, and packaged at our facility in California. Waterstone uses U.S. parts whenever possible, and works with the best manufacturers around the world to source imported components like hoses and valves when it's not.

From humble beginnings as a parts supplier to a recognized name in luxury kitchens and baths, Waterstone continues to evolve—always led by craftsmanship, innovation, and the voices of its customers.

In 2022, Waterstone entered the bath category with the Argonaut Collection, blending industrial and nautical design influences from Chris's naval background. And in 2024, Waterstone launched Aspect by Waterstone—a new attainable luxury brand.

In a short time, Aspect by Waterstone has grown into an international collaborative effort. Still designed in Southern California but machined and forged with parts from the leading luxury producers from Italy and other countries, Aspect is dedicated to elevating everyday experiences through exceptional design and unparalleled craftsmanship.

Together, Waterstone Faucets and Aspect by Waterstone produce world-recognized, innovative, and exquisite kitchen and bath products ranging from a niche, ultra-luxury to a premium, attainable luxury, never sacrificing quality and craftsmanship.

CORE VALUES

- Passion for Excellence
- Teamwork
- Caring For Our Family and Yours
- Fair and Honest Every Time
- Fun Product, Place, and People



WELCOME TO WATERSTONE

At Waterstone Faucets, we do things differently; in 2024, we hosted over 200 industry leaders in the A&D community at our factory in Murrieta, California. We invite you to see the dedicated artisans and engineers who design the best faucets in the world. Join the adventure today!





ASPECT BY WATERSTONE

EXPLORE MORE OF ASPECT AT
ASPECTFAUCETS.COM.

ASPECTTM
BY WATERSTONE

In 2024, Waterstone launched Aspect, a new brand dedicated to elevating everyday experiences through exceptional American design and unparalleled Italian craftsmanship. Aspect debuted with three transitional kitchen collections that blend beauty and function, designed to inspire and captivate. Rooted in collaboration, crafted from globally sourced components, and engineered with precision in California, Aspect is just beginning its journey. In 2026, the brand will expand its vision with both bath and hardware collections, continuing its commitment to thoughtful design and extraordinary detail.

Aspect by Waterstone is Attainable
Luxury!



6350-UPB

POLISHED NICKEL AND UNLACQUERED POLISHED BRASS JOIN GROUP ONE

We are delighted to share exciting news: two of our most iconic finishes—Polished Nickel and Unlacquered Polished Brass—are now available at Group 1 pricing. These timeless, luminous finishes have long been celebrated for their elegance and enduring appeal, and now, thanks to our ability to design and perfect them in-house at our Southern California factory, we are able to offer them with greater accessibility while maintaining the highest standards of quality and artistry. This refinement in our process allows you to bring the richness and sophistication of these classic finishes into your home, with all the beauty, luxury, and craftsmanship you expect.



CONTENTS

WATERSTONE KITCHEN

	PAGE
SPLIT FINISH	
HOW TO ORDER	12
SPLIT FINISH DIAGRAMS	13
THE WHEEL / ENDEAVOR	21
THE GANTRY	25
TRADITIONAL	31
TRADITIONAL PLP "Positive Lock Pulldown"	33
POT FILLERS	35
BEST SELLERS	36
ACCESSORIES	37
BRIDGE FAUCETS	39
KITCHEN FAUCETS	42
PREP/BAR FAUCETS	44
FILTRATION FAUCETS	47
MODERN & CONTEMPORARY	53
MODERN	55
• CONFIGURING THE MODERN PLP	56
MODERN PLP "Positive Lock Pulldown"	57
• FULTON MODERN PLP	59
• 2 HANDLE MODERN PLP	61
• 2 HANDLE FULTON MODERN PLP	63
CONTEMPORARY	65
CONTEMPORARY PLP "Positive Lock Pulldown"	66
POT FILLERS	68
BEST SELLERS	69
ACCESSORIES	70
BRIDGE FAUCETS	71
KITCHEN FAUCETS	73
PREP/BAR FAUCETS	74
FILTRATION FAUCETS	76





INDUSTRIAL	79
• CONFIGURING THE INDUSTRIAL PLP	82
INDUSTRIAL PLP “Positive Lock Pulldown”	83
• FULTON INDUSTRIAL PLP	85
• 2 HANDLE INDUSTRIAL PLP	87
• FULTON 2 HANDLE INDUSTRIAL PLP	89
BEST SELLERS	91
POT FILLERS	92
ACCESSORIES	92
PREP/BAR FAUCETS	94
FILTRATION FAUCETS	94

UNDER SINK SYSTEMS	97
---------------------------	----



PRICING GUIDE	102
----------------------	-----

POLICIES	109
UMRP	110
TERMS AND CONDITIONS	111
LIMITED LIFETIME FUNCTIONAL WARRANTY	112
CARE AND CLEANING GUIDE	113
FINISH WARRANTY	116
FINISH GROUPS	117





KITCHEN

Waterstone Faucets elevate kitchens with exceptional craftsmanship. More than just functional fixtures, these faucets serve as statement pieces, seamlessly blending style and performance to enhance any space. The perfectly coordinated "Suited" faucet and accessory collections offer a flawless match in both finish and design, creating a cohesive and refined look. Whether complementing sleek modern sophistication or timeless traditional charm, the diverse range of luxury faucets provides the ideal choice for any aesthetic.



5500-PN

DESIGNED IN CALIFORNIA

Waterstone Faucets, where innovation meets craftsmanship. Since 1999, we have been dedicated to Blending Art and Technology, designing stunning, high-performance luxury kitchen faucets that stand the test of time. Every product we create is a seamless fusion of bold aesthetics and superior engineering, crafted to deliver a lifetime of durability in your kitchen.

At Waterstone, quality is at the heart of everything we do. For decades, we have meticulously designed, engineered, and manufactured our Waterstone-branded faucets in Southern California, using U.S. parts whenever possible and working with the best manufacturers around the world to source imported components like hoses and valves when it's not. From concept to completion, our skilled machinists, craftsmen, and engineers ensure that each faucet upholds the highest standards of precision and durability.



CNC Machining / Quality Control



Polishing



Racking / Plating

SPLIT FINISHES

HOW TO DESIGNATE A SPLIT FINISH FAUCET WHEN ORDERING

Take the model number and add both finishes to the suffix starting with the **PRIMARY** finish followed by the **ACCENT** finish. For Matte Black (MB) and Classic Bronze (CLZ), it would be 9810-MB-CLZ. If you wanted Classic Bronze (CLZ) and Polished Nickel (PN) it would be 9850-CLZ-PN. For all split finish designs, click “Split Finishes” in the top menu of our home page at www.waterstoneco.com

Faucet can be split using any combination of the standard finishes. For pricing add 10% to the higher list price of the two finishes.


For custom split finish, add 40% to Group 3 pricing.

Custom split finish and placement, add 50% to Group 3 pricing.




WHEEL FAUCETS


 White = Primary finish
 Gray = Accent finish



5100




5125




5130


PLP PULLDOWN FAUCETS




5200
 5210
 5500
 5600
 5610




5300
 5400
 5410
 5900
 5910




5700
 5800
 5810
 5930
 5940




9300 9460
 9350 9900
 9400 9910
 9410 9950
 9450 9960



9700 9750
 9800 9810
 9850
 9860 9930
 9940 9980
 9990




10200 10210
 10220 10230
 10240
 10300 10310
 10320 10330
 10340




10250 10260
 10270 10280
 10290
 10350 10360
 10370 10380
 10390


BRIDGE FAUCETS




6100-12
6100-18




6150-12
6150-18




7600-12
7600-18




6300




6350




7825



7800




6200



6250


2-HANDLE PLP




9302 9402 9412
9902 9912 9352
9452 9462 9952
9962



9702 9802 9812
9932 9942 9752
9852 9862 9982
9992




10202 10212 10222
10232 10242 10302
10312 10322 10332
10342




10252 10262
10272 10282
10292 10352
10362 10372
10382 10392


GANTRY FAUCETS




3700



3710-12
3710-18














4400






4410-12
4410-18

KITCHEN AND PREP FAUCETS


☐ White = Primary finish
☐ Gray = Accent finish




WALL MOUNTED POT FILLERS




COUNTER MOUNTED POT FILLERS



3300




3350




3400


BAR FAUCETS




1300




1350




1500




1550




1502




1552




1800




1850



1600
1650















1625
1655



2500











FILTRATION FAUCETS

 White = Primary finish
 Gray = Accent finish




FILTRATION FAUCETS


 White = Primary finish
 Gray = Accent finish




ACCESSORIES




4060




4055




4065




9065




4025




3025




4010



3010
9010



4020
4030



9020 9030
3020
3030

WHEEL & ENDEAVOR



SN



SN



TRADITIONAL WHEEL PULLDOWN FAUCET**MODEL: 5100****LIST PRICES:****GRP 1 : 7275****GRP 2 : 7855****GRP 3 : 9390****Golds : 12207****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 19-1/2" overall height.
- 9-1/8" reach and can swivel 360 degrees.
- Lever handle spray head pulls out 20" from spout.
- 1.75 gpm maximum flow rate with aerated tip.
- Hot/cold ceramic disk valve cartridge.
- Minimum install hole size 1-1/2"
- Compatible with reverse osmosis water and systems.
- Made from solid brass.
- Aerated stream diverts to spray when lever is held.
- Adjustable handle tension.

**ENDEAVOR WHEEL PULLDOWN FAUCET / TOGGLE SPRAYER****MODEL: 5125****LIST PRICES:****GRP 1 : 8344****GRP 2 : 9010****GRP 3 : 10770****Golds : 14001****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 19-5/8" overall height.
- 9-3/4" reach and can swivel 360 degrees.
- Toggle handle spray head pulls out 20" from spout.
- 1.75 gpm flow rate with aerated tip.
- Hot/cold ceramic disk valve cartridge.
- Aerated stream or toggle activated spray.
- Toggle remains in spray mode until toggled back or faucet shut off.
- Minimum install hole 1- 1/2".
- Compatible with reverse osmosis water and systems.
- Made from solid brass.
- Wave spring handle tension.

**ENDEAVOR WHEEL PULLDOWN FAUCET / LEVER SPRAYER****MODEL: 5130****LIST PRICES:****GRP 1 : 8539****GRP 2 : 9220****GRP 3 : 11023****Golds : 14330****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 19-5/8" overall height.
- 9-3/4" reach and can swivel 360 degrees.
- Lever handle spray head pulls out 20" from spout.
- 1.75 gpm flow rate with aerated tip.
- Hot/cold ceramic disk valve cartridge.
- Minimum hole dimension 1-1/2"
- Compatible with reverse osmosis water and systems.
- Made from solid brass.
- Aerated stream diverts to spray when lever is held.
- Wave spring handle tension.



GANTRY FAUCETS





TRADITIONAL GANTRY® PULLDOWN FAUCET / HOOK SPOUT**MODEL: 4400****LIST PRICES:****GRP 1 : 5842****GRP 2 : 6307****GRP 3 : 7539****SS : N/A****Golds : 9801****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 32-3/4" overall height.
- Spray arm extends and pivots to reach all areas of sink.
- Sprayer instantly diverts water from aerated stream to wide spray when lever handle is held.
- Hook spout has 10-3/4" reach and can swivel 360 degrees.
- 1.75 gpm maximum flow rate with aerated tip.
- Spray arm spring technology gives the sprayer an easy, smooth pull.
- Handle ring can be adjusted to preferred push/pull tension and prevents sag.
- Single handle can mount in front, right, or left hand positions.
- Minimum install hole 1-1/2".
- Hot/cold ceramic disk valve cartridge.
- Compatible with reverse osmosis water and systems.
- Made from solid brass.

**TRADITIONAL GANTRY® PULLDOWN FAUCET / 12" ARTICULATED SPOUT****MODEL: 4410-12****LIST PRICES:****GRP 1 : 6726****GRP 2 : 7262****GRP 3 : 8681****SS : N/A****Golds : 11285****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 32-3/4" overall height.
- Spray arm extends and pivots to reach all areas of sink.
- Sprayer instantly diverts water from aerated stream to wide spray when lever handle is held.
- Articulated spout has 12" reach and can swivel 360 degrees.
- 1.75 gpm maximum flow rate with aerated tip.
- Spray arm spring technology gives the sprayer an easy, smooth pull.
- Handle ring can be adjusted to preferred push/pull tension and prevents sag.
- Single handle can mount in front, right, or left hand positions.
- Minimum install hole 1-1/2".
- Hot/cold ceramic disk valve cartridge.
- Compatible with reverse osmosis water and systems.
- Made from solid brass.

**TRADITIONAL GANTRY® PULLDOWN FAUCET / 18" ARTICULATED SPOUT****MODEL: 4410-18****LIST PRICES:****GRP 1 : 6913****GRP 2 : 7465****GRP 3 : 8924****SS : N/A****Golds : 11601****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 32-3/4" overall height.
- Spray arm extends and pivots to reach all areas of sink.
- Sprayer instantly diverts water from aerated stream to wide spray when lever handle is held.
- Articulated spout has 18" reach and can swivel 360 degrees.
- 1.75 gpm maximum flow rate with aerated tip.
- Spray arm spring technology gives the sprayer an easy, smooth pull.
- Handle ring can be adjusted to preferred push/pull tension and prevents sag.
- Single handle can mount in front, right, or left hand positions.
- Minimum install hole 1-1/2".
- Hot/cold ceramic disk valve cartridge.
- Compatible with reverse osmosis water and systems.
- Made from solid brass.





PN-PB

CONTEMPORARY GANTRY® PULLDOWN FAUCET / STRAIGHT SPOUT**MODEL: 3700****LIST PRICES:****GRP 1 : 6632****GRP 2 : 7160****GRP 3 : 8559****SS : 8792****Golds : 11127****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 32-3/4" overall height.
- Spray arm extends and pivots to reach all areas of sink.
- Sprayer instantly diverts water from aerated stream to wide spray when lever handle is held.
- Straight spout has 10-3/8" reach and can swivel 360 degrees.
- 1.75 gpm maximum flow rate with aerated tip.
- Spray arm spring technology gives the sprayer an easy, smooth pull.
- Handle ring can be adjusted to preferred push/pull tension and prevents sag.
- Single handle can mount in front, right, or left hand positions.
- Minimum install hole 1-1/2".
- Hot/cold ceramic disk valve cartridge.
- Compatible with reverse osmosis water and systems.
- Made from solid brass.

**CONTEMPORARY GANTRY® PULLDOWN FAUCET / 12" ARTICULATED SPOUT****MODEL: 3710-12****LIST PRICES:****GRP 1 : 7046****GRP 2 : 7608****GRP 3 : 9095****SS : 9342****Golds : 11824****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 32-3/4" overall height.
- Spray arm extends and pivots to reach all areas of sink.
- Sprayer instantly diverts water from aerated stream to wide spray when lever handle is held.
- Articulated spout has 12" reach and can swivel 360 degrees.
- 1.75 gpm maximum flow rate with aerated tip.
- Spray arm spring technology gives the sprayer an easy, smooth pull.
- Handle ring can be adjusted to preferred push/pull tension and prevents sag.
- Single handle can mount in front, right or left hand positions.
- Minimum install hole 1-1/2".
- Hot/cold ceramic disk valve cartridge.
- Compatible with reverse osmosis water and systems.
- Made from solid brass.

**CONTEMPORARY GANTRY® PULLDOWN FAUCET / 18" ARTICULATED SPOUT****MODEL: 3710-18****LIST PRICES:****GRP 1 : 7235****GRP 2 : 7811****GRP 3 : 9336****SS : 9590****Golds : 12137****MEETS THE FOLLOWING:**

- ASME A112.18.1
- CSA B125.1
- NSF 61, 372
- CALGreen
- ICC Approved

- 32-3/4" overall height.
- Spray arm extends and pivots to reach all areas of sink.
- Sprayer instantly diverts water from aerated stream to wide spray when lever handle is held.
- Articulated spout has 18" reach and can swivel 360 degrees.
- 1.75 gpm maximum flow rate with aerated tip.
- Spray arm spring technology gives the sprayer an easy, smooth pull.
- Handle ring can be adjusted to preferred push/pull tension and prevents sag.
- Single handle can mount in front, right, or left hand positions.
- Minimum install hole 1-1/2".
- Hot/cold ceramic disk valve cartridge.
- Compatible with reverse osmosis water and systems.
- Made from solid brass.







TRADITIONAL



5600-UPB



TRADITIONAL PLP

STANDARD FEATURES: All PLP faucets are made from **solid brass** or **stainless steel**. They all are equipped with the "Positive Lock Pulldown" design, locking the sprayer in place for easier use. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Minimum install deck hole size of 1-1/2"
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Traditional PLP** faucets have an adjustable handle tension ring

TRADITIONAL POSITIVE LOCK PULLDOWN FAUCETS

TRADITIONAL EXTENDED REACH PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 5500

LIST PRICES:

GRP 1 : 3076

GRP 2 : 3320

GRP 3 : 3970

SS : N/A

Golds : 5161

SPECIFICATIONS:

- 21-3/4" overall height
- 11" sprayer reach



TRADITIONAL PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 5600

LIST PRICES:

GRP 1 : 2923

GRP 2 : 3159

GRP 3 : 3775

SS : N/A

Golds : 4908

SPECIFICATIONS:

- 18" overall height
- 8-1/2" sprayer reach



TRADITIONAL PREP SIZE PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 5200

LIST PRICES:

GRP 1 : 2812

GRP 2 : 3035

GRP 3 : 3628

SS : N/A

Golds : 4716

SPECIFICATIONS:

- 16" overall height
- 7" sprayer reach



TRADITIONAL PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER MODEL: 5610

LIST PRICES:

GRP 1 : 3011

GRP 2 : 3250

GRP 3 : 3887

SS : N/A

Golds : 5053

SPECIFICATIONS:

- 18" overall height
- 9" sprayer reach
- 6 degrees angled spout



TRADITIONAL PREP SIZE PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER MODEL: 5210

LIST PRICES:

GRP 1 : 2894

GRP 2 : 3123

GRP 3 : 3734

SS : N/A

Golds : 4854

SPECIFICATIONS:

- 16" overall height
- 8" sprayer reach
- 10 degrees angled spout



TRADITIONAL POT FILLERS

STANDARD FEATURES: All pot fillers are made from **solid brass** or **stainless steel**. All pot fillers have an articulated spout that reaches 22". Other features include:

- Cold water hookup
- 1.75 GPM maximum flow rate
- 1/4 turn ceramic disk valve cartridge
- Built-in check valve to prevent dripping
- All **Pot Fillers** are compatible with reverse osmosis water and reverse osmosis systems




TRADITIONAL WALL MOUNTED POT FILLER / LEVER HANDLE

MODEL: 3100

LIST PRICES:

GRP 1 : 2130
GRP 2 : 2300
GRP 3 : 2750
SS : N/A
Golds : 3575



SPECIFICATIONS:

- 8-7/8" overall height
- 22" spout reach

TRADITIONAL WALL MOUNTED POT FILLER / CROSS HANDLE

MODEL: 3150

LIST PRICES:

GRP 1 : 2161
GRP 2 : 2334
GRP 3 : 2625
SS : N/A
Golds : 3629



SPECIFICATIONS:

- 8-7/8" overall height
- 22" spout reach

TRADITIONAL COUNTER MOUNTED POT FILLER / LEVER HANDLE

MODEL: 3300

LIST PRICES:

GRP 1 : 2118
GRP 2 : 2286
GRP 3 : 2733
SS : N/A
Golds : 3553



SPECIFICATIONS:

- 21-3/8" overall height
- 22" spout reach

TRADITIONAL COUNTER MOUNTED POT FILLER / CROSS HANDLE

MODEL: 3350

LIST PRICES:

GRP 1 : 2256
GRP 2 : 2436
GRP 3 : 2912
SS : N/A
Golds : 3786



SPECIFICATIONS:

- 21-3/8" overall height
- 22" spout reach

BEST SELLERS

TRADITIONAL AIR SWITCH MODEL: 4010

LIST PRICES:
GRP 1 : 526
GRP 2 : 569
GRP 3 : 680
SS : N/A
Golds : 884



SPECIFICATIONS:

- Air activated garbage disposal switch
- Includes connection box
 - 4-1/4"H x 3"W x 2"D
 - 120v 15Amp 1Hp

PEMBROKE HOT AND COLD FILTRATION FAUCET / LEVER HANDLES MODEL: 1202HC

LIST PRICES:
GRP 1 : 1044
GRP 2 : 1129
GRP 3 : 1349
SS : N/A
Golds : 1754



SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach

TRADITIONAL SOAP/LOTION DISPENSER / HOOK SPOUT MODEL: 4060

LIST PRICES:
GRP 1 : 598
GRP 2 : 645
GRP 3 : 771
SS : N/A
Gold : 1002



SPECIFICATIONS:

- 4" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity



AVAILABLE IN EXTENDED HOOK SPOUT MODEL: 4060E

LIST PRICES:
GRP 1 : 628
GRP 2 : 678
GRP 3 : 810
SS : N/A
Golds : 1053

SPECIFICATIONS:

- 5" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity



TRADITIONAL ACCESSORIES

STANDARD FEATURES: All accessories are made from **solid brass** or **stainless steel**. They all are designed to match the style and finish of your Waterstone faucet.

TRADITIONAL SOAP/ LOTION DISPENSER / STRAIGHT SPOUT MODEL: 4055

LIST PRICES:
GRP 1 : 598
GRP 2 : 645
GRP 3 : 771
SS : N/A
Golds : 1002



SPECIFICATIONS:

- 4" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity

AVAILABLE IN EXTENDED STRAIGHT SPOUT MODEL: 4055E

LIST PRICES:
GRP 1 : 628
GRP 2 : 678
GRP 3 : 810
SS : N/A
Golds : 1056

SPECIFICATIONS:

- 5" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity

TRADITIONAL HOLE COVER / COMPASS BUTTON MODEL: 4070

LIST PRICES:
GRP 1 : 131
GRP 2 : 141
GRP 3 : 168
SS : N/A
Golds : 218



SPECIFICATIONS:

- 2-1/8" diameter covers standard sink hole
- Perfect for two-hole Bridge faucet

TRADITIONAL HOLE COVER / FINISH BUTTON MODEL: 4080

LIST PRICES:
GRP 1 : 137
GRP 2 : 148
GRP 3 : 178
SS : N/A
Golds : 231



SPECIFICATIONS:

- 2-1/8" diameter covers standard sink hole
- Perfect for two-hole Bridge faucet

TRADITIONAL SINGLE PORT AIR GAP MODEL: 4020

LIST PRICES:
 GRP 1 : 335
 GRP 2 : 361
 GRP 3 : 431
 SS : N/A
 Golds : 560



SPECIFICATIONS:

- Prevents dishwasher back flow and dirt buildup
- Matches all Waterstone Traditional faucets

TRADITIONAL DUAL PORT AIR GAP MODEL: 4030

LIST PRICES:
 GRP 1 : 414
 GRP 2 : 447
 GRP 3 : 535
 SS : N/A
 Golds : 695



SPECIFICATIONS:

- Prevents dishwasher back flow and dirt buildup
- Includes adapters for either a 2nd dishwasher or a reverse osmosis filtration port

TRADITIONAL 6" ESCUTCHEON PLATE MODEL: 4783

LIST PRICES:
 GRP 1 : 311
 GRP 2 : 336
 GRP 3 : 401
 SS : N/A
 Golds : 521



SPECIFICATIONS:

- Works with all Waterstone Traditional PLP, Gantry, Kitchen, and Prep faucets
- Plate will accept 1-3/8" or 1-1/4" mounting shanks

TRADITIONAL 10" ESCUTCHEON PLATE MODEL: 4784

LIST PRICES:
 GRP 1 : 383
 GRP 2 : 412
 GRP 3 : 493
 SS : N/A
 Golds : 641



SPECIFICATIONS:

- Works with all Waterstone Traditional PLP, Gantry, Kitchen, and Prep faucets
- Plate will accept 1-3/8" or 1-1/4" mounting shanks

TRADITIONAL SIDE SPRAY MODEL: 4025

LIST PRICES:
 GRP 1 : 760
 GRP 2 : 821
 GRP 3 : 982
 SS : N/A
 Golds : 1277



SPECIFICATIONS:

- 48" nylon reinforced connection hose
- PTFE bump guard
- Works with all Waterstone Kitchen, Bridge, and Prep Faucets



TRADITIONAL COLLECTIONS



TRADITIONAL BRIDGE FAUCETS

STANDARD FEATURES: All bridge faucets are made from **solid brass** or **stainless steel**. They are all designed with two holes mounting 8" on the center. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Bridge** faucets have ergonomic double lever or cross handles



**TOWSON BRIDGE FAUCET / 12" ARTICULATED
SPOUT / LEVER HANDLES**
MODEL: 6100-12

LIST PRICES:

GRP 1 : 3670
GRP 2 : 3962
GRP 3 : 4735
SS : N/A
Golds : 6156



SPECIFICATIONS:

- 12-3/8" overall height
- 12" articulated spout reach

**TOWSON BRIDGE FAUCET / 12" ARTICULATED
SPOUT / CROSS HANDLES**
MODEL: 6150-12

LIST PRICES:

GRP 1 : 3886
GRP 2 : 4197
GRP 3 : 5016
SS : N/A
Golds : 6521



SPECIFICATIONS:

- 12-3/8" overall height
- 12" articulated spout reach

**TOWSON BRIDGE FAUCET / 18" ARTICULATED
SPOUT / LEVER HANDLES**
MODEL: 6100-18

LIST PRICES:

GRP 1 : 3814
GRP 2 : 4118
GRP 3 : 4924
SS : N/A
Golds : 6401



SPECIFICATIONS:

- 12-3/8" overall height
- 18" articulated spout reach

**TOWSON BRIDGE FAUCET / 18" ARTICULATED
SPOUT / CROSS HANDLES**
MODEL: 6150-18

LIST PRICES:

GRP 1 : 4032
GRP 2 : 4355
GRP 3 : 5206
SS : N/A
Golds : 6768



SPECIFICATIONS:

- 12-3/8" overall height
- 18" articulated spout reach

**ANNAPOLIS BRIDGE FAUCET / HOOK SPOUT /
LEVER HANDLES**
MODEL: 6200

LIST PRICES:

GRP 1 : 3481
GRP 2 : 3757
GRP 3 : 4492
SS : N/A
Golds : 5840



SPECIFICATIONS:

- 13-3/8" overall height
- 10-1/4" spout reach

**ANNAPOLIS BRIDGE FAUCET / HOOK SPOUT / CROSS
HANDLES**
MODEL: 6250

LIST PRICES:

GRP 1 : 3523
GRP 2 : 3804
GRP 3 : 4548
SS : N/A
Golds : 5912



SPECIFICATIONS:

- 13-3/8" overall height
- 10-1/4" spout reach

**HAMPTON BRIDGE FAUCET / C-SPOUT /
LEVER HANDLES
MODEL: 6300**

LIST PRICES:

GRP 1 : 3045

GRP 2 : 3289

GRP 3 : 3931

SS : N/A

Golds : 5110



SPECIFICATIONS:

- 14-1/8" overall height
- 8-1/4" spout reach

**HAMPTON BRIDGE FAUCET / C-SPOUT / CROSS
HANDLES
MODEL: 6350**

LIST PRICES:

GRP 1 : 3191

GRP 2 : 3444

GRP 3 : 4117

SS : N/A

Golds : 5110



SPECIFICATIONS:

- 14-1/8" overall height
- 8-1/4" spout reach



TRADITIONAL KITCHEN FAUCETS

STANDARD FEATURES: All kitchen faucets are made from **solid brass** or **stainless steel**. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Kitchen** faucets have ergonomic double lever or cross handles



TOWSON KITCHEN FAUCET / 12" ARTICULATED SPOUT

MODEL: 4100-12

LIST PRICES:

GRP 1 : 2192
GRP 2 : 2367
GRP 3 : 2832
SS : N/A
Golds : 3682



SPECIFICATIONS:

- 12-3/4" overall height
- 12" articulated spout reach

TOWSON KITCHEN FAUCET / 18" ARTICULATED SPOUT

MODEL: 4100-18

LIST PRICES:

GRP 1 : 2322
GRP 2 : 2508
GRP 3 : 2999
SS : N/A
Golds : 3899



SPECIFICATIONS:

- 12-3/4" overall height
- 18" articulated spout reach

ANNAPOLIS KITCHEN FAUCET / HOOK SPOUT

MODEL: 4200

LIST PRICES:

GRP 1 : 1975
GRP 2 : 2132
GRP 3 : 2550
SS : N/A
Golds : 3315



SPECIFICATIONS:

- 13-1/2" overall height
- 10-1/2" spout reach

HAMPTON KITCHEN FAUCET / C-SPOUT

MODEL: 4300

LIST PRICES:

GRP 1 : 1942
GRP 2 : 2096
GRP 3 : 2506
SS : N/A
Golds : 3258



SPECIFICATIONS:

- 14" overall height
- 8-3/4" spout reach

**TOWSON TWO HANDLE KITCHEN FAUCET / 12"
ARTICULATED SPOUT
MODEL: 8010-12**

LIST PRICES:

GRP 1 : 2555

GRP 2 : 2757

GRP 3 : 3296

SS : N/A

Golds : 4285



SPECIFICATIONS:

- 14-3/4" overall height
- 12" articulated spout reach

**TOWSON TWO HANDLE KITCHEN FAUCET / 18"
ARTICULATED SPOUT
MODEL: 8010-18**

LIST PRICES:

GRP 1 : 2715

GRP 2 : 2931

GRP 3 : 3505

SS : N/A

Golds : 4557



SPECIFICATIONS:

- 14-3/4" overall height
- 18" articulated spout reach

**ANNAPOLIS TWO HANDLE KITCHEN FAUCET
/ HOOK SPOUT
MODEL: 8020**

LIST PRICES:

GRP 1 : 1976

GRP 2 : 2134

GRP 3 : 2551

SS : N/A

Golds : 3316



SPECIFICATIONS:

- 15-1/2" overall height
- 10-1/2" spout reach

**HAMPTON TWO HANDLE KITCHEN FAUCET / C-SPOUT
MODEL: 8030**

LIST PRICES:

GRP 1 : 1948

GRP 2 : 2104

GRP 3 : 2516

SS : 2340

Golds : 3271



SPECIFICATIONS:

- 16" overall height
- 8-1/4" spout reach



TRADITIONAL PREP & BAR FAUCETS

STANDARD FEATURES: All prep and bar faucets are made from **solid brass** or **stainless steel**. Unique in design, the prep and bar faucets are available with a straight, hook, C-, or 2-bend U- spout. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Prep & Bar** faucets have a removable aerator tip for easy cleaning

TOWSON PREP FAUCET / STRAIGHT SPOUT

MODEL: 4700

LIST PRICES:

GRP 1 : 1935

GRP 2 : 2088

GRP 3 : 2497

SS : N/A

Golds : 3246

SPECIFICATIONS:

- 12-3/4" overall height
- 6" spout reach



HAMPTON PREP FAUCET / C-SPOUT

MODEL: 4900

LIST PRICES:

GRP 1 : 1833

GRP 2 : 1979

GRP 3 : 2366

SS : N/A

Golds : 3076

SPECIFICATIONS:

- 13-3/4" overall height
- 6-3/4" spout reach



ANNAPOLIS PREP FAUCET / HOOK SPOUT

MODEL: 4800

LIST PRICES:

GRP 1 : 1901

GRP 2 : 2051

GRP 3 : 2453

SS : N/A

Golds : 3189

SPECIFICATIONS:

- 12-5/8" overall height
- 6-3/4" spout reach



TOWSON BAR FAUCET / LEVER HANDLES

MODEL: 1800

LIST PRICES:

GRP 1 : 1374

GRP 2 : 1482

GRP 3 : 1773

SS : N/A

Golds : 2305

SPECIFICATIONS:

- 11-1/2" overall height
- 7" spout reach



TOWSON BAR FAUCET / CROSS HANDLES

MODEL: 1850

LIST PRICES:

GRP 1 : 1449

GRP 2 : 1565

GRP 3 : 1871

SS : N/A

Golds : 2432

SPECIFICATIONS:

- 11-1/2" overall height
- 7" spout reach



ANNAPOLIS BAR FAUCET / LEVER HANDLES MODEL: 1300

LIST PRICES:

GRP 1 : 1168

GRP 2 : 1262

GRP 3 : 1509

SS : N/A

Golds : 1962

SPECIFICATIONS:

- 11-1/2" overall height
- 7" spout reach



ANNAPOLIS BAR FAUCET / CROSS HANDLES MODEL: 1350

LIST PRICES:

GRP 1 : 1204

GRP 2 : 1300

GRP 3 : 1553

SS : N/A

Golds : 2019

SPECIFICATIONS:

- 11-1/2" overall height
- 7" spout reach



HAMPTON BAR FAUCET / LEVER HANDLES MODEL: 1500

LIST PRICES:

GRP 1 : 1042

GRP 2 : 1127

GRP 3 : 1346

SS : N/A

Golds : 1750

SPECIFICATIONS:

- 11-3/4" overall height
- 7" spout reach



HAMPTON BAR FAUCET / CROSS HANDLES MODEL: 1550

LIST PRICES:

GRP 1 : 1101

GRP 2 : 1189

GRP 3 : 1421

SS : N/A

Golds : 1847

SPECIFICATIONS:

- 11-3/4" overall height
- 7" spout reach



PEMBROKE BAR FAUCET / LEVER HANDLES MODEL: 1502

LIST PRICES:

GRP 1 : 1089

GRP 2 : 1177

GRP 3 : 1405

SS : N/A

Golds : 1827

SPECIFICATIONS:

- 12-1/4" overall height
- 5" spout reach



PEMBROKE BAR FAUCET / CROSS HANDLES MODEL: 1552

LIST PRICES:

GRP 1 : 1137

GRP 2 : 1230

GRP 3 : 1469

SS : N/A

Golds : 1910

SPECIFICATIONS:

- 12-1/4" overall height
- 5" spout reach





UPB



TRADITIONAL FILTRATION FAUCETS

STANDARD FEATURES: All filtration faucets are made from **solid brass** or **stainless steel**. Designed to perfectly accompany any Waterstone Faucet. Other features include:

- 1.1 GPM maximum flow rate
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- All **Filtration** faucets have a removable aerator tip for easy cleaning

FINISH GROUP 1: CH, PN, UPB
FINISH GROUP 2: BLN, CD, CHB, CLZ, GR, MB, MW, PB, SB, SC, SN
FINISH GROUP 3: AB, ABZ, AC, AMB, AP, CB, DAB, DAC, DAMB, DAP, MAB, MAC, MAP, ORB, PC, TB

GOLDS: PG, SG
STAINLESS STEEL: SS

**ANNAPOLIS COLD ONLY FILTRATION FAUCET /
LEVER HANDLE
MODEL: 1100C**

LIST PRICES:

GRP 1 : 853
GRP 2 : 919
GRP 3 : 1100
SS : N/A
Golds : 1430



SPECIFICATIONS:

- 9" overall height
- 4-7/8" spout reach

**ANNAPOLIS COLD ONLY FILTRATION FAUCET /
CROSS HANDLE
MODEL: 1150C**

LIST PRICES:

GRP 1 : 894
GRP 2 : 965
GRP 3 : 1153
SS : N/A
Golds : 1499



SPECIFICATIONS:

- 9" overall height
- 4-7/8" spout reach

**ANNAPOLIS HOT ONLY FILTRATION FAUCET /
LEVER HANDLE
MODEL: 1100H**

LIST PRICES:

GRP 1 : 886
GRP 2 : 957
GRP 3 : 1143
SS : N/A
Golds : 1486



SPECIFICATIONS:

- 9" overall height
- 4-7/8" spout reach

**ANNAPOLIS HOT ONLY FILTRATION FAUCET /
CROSS HANDLE
MODEL: 1150H**

LIST PRICES:

GRP 1 : 920
GRP 2 : 994
GRP 3 : 1187
SS : N/A
Golds : 1543



SPECIFICATIONS:

- 9" overall height
- 4-7/8" spout reach

**ANNAPOLIS HOT AND COLD FILTRATION
FAUCET / LEVER HANDLES
MODEL: 1100HC**

LIST PRICES:

GRP 1 : 995
GRP 2 : 1076
GRP 3 : 1285
SS : N/A
Golds : 1671



SPECIFICATIONS:

- 9" overall height
- 4-7/8" spout reach

**ANNAPOLIS HOT AND COLD FILTRATION
FAUCET / CROSS HANDLES
MODEL: 1150HC**

LIST PRICES:

GRP 1 : 1032
GRP 2 : 1115
GRP 3 : 1332
SS : N/A
Golds : 1732



SPECIFICATIONS:

- 9" overall height
- 4-7/8" spout reach

**PEMBROKE COLD ONLY FILTRATION FAUCET
/ LEVER HANDLE
MODEL: 1202C**

LIST PRICES:

GRP 1 : 856
GRP 2 : 925
GRP 3 : 1004
SS : N/A
Golds : 1435

SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach



**PEMBROKE COLD ONLY FILTRATION FAUCET
/ CROSS HANDLE
MODEL: 1252C**

LIST PRICES:

GRP 1 : 888
GRP 2 : 960
GRP 3 : 1148
SS : N/A
Golds : 1492

SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach



**PEMBROKE HOT ONLY FILTRATION FAUCET
/ LEVER HANDLE
MODEL: 1202H**

LIST PRICES:

GRP 1 : 930
GRP 2 : 1004
GRP 3 : 1200
SS : N/A
Golds : 1560

SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach



**PEMBROKE HOT ONLY FILTRATION FAUCET /
CROSS HANDLE
MODEL: 1252H**

LIST PRICES:

GRP 1 : 956
GRP 2 : 1033
GRP 3 : 1235
SS : N/A
Golds : 1606

SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach



**PEMBROKE HOT AND COLD FILTRATION
FAUCET / LEVER HANDLES
MODEL: 1202HC**

LIST PRICES:

GRP 1 : 1044
GRP 2 : 1129
GRP 3 : 1349
SS : N/A
Golds : 1754

SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach



**PEMBROKE HOT AND COLD FILTRATION
FAUCET / CROSS HANDLES
MODEL: 1252HC**

LIST PRICES:

GRP 1 : 1076
GRP 2 : 1163
GRP 3 : 1390
SS : N/A
Golds : 1807

SPECIFICATIONS:

- 10-1/4" overall height
- 5" spout reach



**TOWSON COLD ONLY FILTRATION FAUCET
/ LEVER HANDLE
MODEL: 1700C**

LIST PRICES:

GRP 1 : 1076

GRP 2 : 1163

GRP 3 : 1390

SS : N/A

Golds : 1807

SPECIFICATIONS:

- 9" overall height
- 4-3/4" spout reach



**TOWSON COLD ONLY FILTRATION FAUCET
/ CROSS HANDLE
MODEL: 1750C**

LIST PRICES:

GRP 1 : 1106

GRP 2 : 1196

GRP 3 : 1429

SS : N/A

Golds : 1858

SPECIFICATIONS:

- 9" overall height
- 4-3/4" spout reach



**TOWSON HOT ONLY FILTRATION FAUCET
/ LEVER HANDLE
MODEL: 1700H**

LIST PRICES:

GRP 1 : 1145

GRP 2 : 1235

GRP 3 : 1477

SS : N/A

Golds : 1920

SPECIFICATIONS:

- 9" overall height
- 4-3/4" spout reach



**TOWSON HOT ONLY FILTRATION FAUCET
/ CROSS HANDLE
MODEL: 1750H**

LIST PRICES:

GRP 1 : 1168

GRP 2 : 1260

GRP 3 : 1507

SS : N/A

Golds : 1959

SPECIFICATIONS:

- 9" overall height
- 4-3/4" spout reach



**TOWSON HOT AND COLD FILTRATION
FAUCET / LEVER HANDLES
MODEL: 1700HC**

LIST PRICES:

GRP 1 : 1269

GRP 2 : 1370

GRP 3 : 1637

SS : N/A

Golds : 2128

SPECIFICATIONS:

- 9" overall height
- 4-3/4" spout reach



**TOWSON HOT AND COLD FILTRATION
FAUCET / CROSS HANDLES
MODEL: 1750HC**

LIST PRICES:

GRP 1 : 1364

GRP 2 : 1474

GRP 3 : 1762

SS : N/A

Golds : 2291

SPECIFICATIONS:

- 9" overall height
- 4-3/4" spout reach



**HAMPTON COLD ONLY FILTRATION FAUCET /
LEVER HANDLE
MODEL: 1200C**

LIST PRICES:

GRP 1 : 772
GRP 2 : 833
GRP 3 : 996
SS : N/A
Golds : 1295

SPECIFICATIONS:

- 9-7/8" overall height
- 5-1/4" spout reach



**HAMPTON COLD ONLY FILTRATION FAUCET /
CROSS HANDLE
MODEL 1250C**

LIST PRICES:

GRP 1 : 809
GRP 2 : 872
GRP 3 : 1043
SS : N/A
Golds : 1356

SPECIFICATIONS:

- 9-7/8" overall height
- 5-1/4" spout reach



**HAMPTON HOT ONLY FILTRATION FAUCET /
LEVER HANDLE
MODEL: 1200H**

LIST PRICES:

GRP 1 : 825
GRP 2 : 891
GRP 3 : 1065
SS : N/A
Golds : 1385

SPECIFICATIONS:

- 9-7/8" overall height
- 5-1/4" spout reach



**HAMPTON HOT ONLY FILTRATION FAUCET /
CROSS HANDLE
MODEL: 1250H**

LIST PRICES:

GRP 1 : 859
GRP 2 : 928
GRP 3 : 1108
SS : N/A
Golds : 1440

SPECIFICATIONS:

- 9-7/8" overall height
- 5-1/4" spout reach



**HAMPTON HOT AND COLD FILTRATION
FAUCET / LEVER HANDLES
MODEL: 1200HC**

LIST PRICES:

GRP 1 : 934
GRP 2 : 1009
GRP 3 : 1205
SS : N/A
Golds : 1567

SPECIFICATIONS:

- 9-7/8" overall height
- 5-1/4" spout reach



**HAMPTON HOT AND COLD FILTRATION FAUCET /
CROSS HANDLES
MODEL: 1250HC**

LIST PRICES:

GRP 1 : 968
GRP 2 : 1045
GRP 3 : 1249
SS : N/A
Golds : 1624

SPECIFICATIONS:

- 9-7/8" overall height
- 5-1/4" spout reach







MB-CLZ

MODERN & CONTEMPORARY

MODERN PLP

STANDARD FEATURES: All PLP faucets are made from **solid brass** or **stainless steel**. They are all equipped with the "Positive Lock Pulldown" design, locking the sprayer in place for easier use. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Minimum install deck hole size of 1-1/2"
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Modern PLP** faucets have a wave spring handle tension



SLEEK &
REFINED

CONFIGURING THE MODERN PLP

Like all PLPs, the Modern PLP can be **Extended**, and can come in the **Standard** size, or the **Prep** size. The **Standard** and **Prep** can both be **Angled** for deep faucet settings.



The spray head is available in a **Toggle** or **Lever** spray. The faucet spout can be a single C-bend spout or a two U-bend "**Futton**" spout.



All modern faucets are available in a single-handle control faucet or a two-handle, independent hot and cold option.



MODERN POSITIVE LOCK PULLDOWN FAUCETS



MODERN EXTENDED REACH PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 9350

LIST PRICES:

GRP 1 : 2353
GRP 2 : 2540
GRP 3 : 3037
SS : 3120
Golds : 3948

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



MODERN EXTENDED REACH PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 9750

LIST PRICES:

GRP 1 : 2756
GRP 2 : 2977
GRP 3 : 3559
SS : 3654
Golds : 4627

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



MODERN PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 9450

LIST PRICES:

GRP 1 : 2101
GRP 2 : 2268
GRP 3 : 2712
SS : 2785
Golds : 3526

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



MODERN PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 9850

LIST PRICES:

GRP 1 : 2499
GRP 2 : 2699
GRP 3 : 3227
SS : 3313
Golds : 4195

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



**MODERN PLP PULLDOWN FAUCET / ANGLED SPOUT
/ TOGGLE SPRAYER
MODEL: 9460**

LIST PRICES:

GRP 1 : 2219
GRP 2 : 2396
GRP 3 : 2863
SS : 2942
Golds : 3722

SPECIFICATIONS:

- 17" overall height
- 9" sprayer reach
- 7 degree angled spout



**MODERN PLP PULLDOWN FAUCET / ANGLED SPOUT
/ LEVER SPRAYER
MODEL: 9860**

LIST PRICES:

GRP 1 : 2610
GRP 2 : 2819
GRP 3 : 3370
SS : 3460
Golds : 4381

SPECIFICATIONS:

- 17" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



**MODERN PREP SIZE PLP PULLDOWN FAUCET /
TOGGLE SPRAYER
MODEL: 9950**

LIST PRICES:

GRP 1 : 2077
GRP 2 : 2242
GRP 3 : 2680
SS : 2752
Golds : 3484

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**MODERN PREP SIZE PLP PULLDOWN FAUCET /
LEVER SPRAYER
MODEL: 9980**

LIST PRICES:

GRP 1 : 2468
GRP 2 : 2665
GRP 3 : 3186
SS : 3272
Golds : 4141

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**MODERN PREP SIZE PLP PULLDOWN FAUCET /
ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9960**

LIST PRICES:

GRP 1 : 2083
GRP 2 : 2249
GRP 3 : 2688
SS : 2761
Golds : 3494

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



**MODERN PREP SIZE PLP PULLDOWN FAUCET /
ANGLED SPOUT / LEVER SPRAYER
MODEL: 9990**

LIST PRICES:

GRP 1 : 2475
GRP 2 : 2672
GRP 3 : 3194
SS : 3281
Golds : 4152

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



FULTON MODERN PLP

MODERN &
CONTEMPORARY



**FULTON MODERN EXTENDED REACH PLP PULLDOWN
FAUCET / TOGGLE SPRAYER**
MODEL: 10300

LIST PRICES:

GRP 1 : 2470

GRP 2 : 2667

GRP 3 : 3189

SS : 3276

Golds : 4146

SPECIFICATIONS:

- 20-3/16" overall height
- 11-3/16" sprayer reach



**FULTON MODERN EXTENDED REACH PLP PULLDOWN
FAUCET / LEVER SPRAYER**
MODEL: 10350

LIST PRICES:

GRP 1 : 2894

GRP 2 : 3126

GRP 3 : 3737

SS : 3837

Golds : 4858

SPECIFICATIONS:

- 20-3/16" overall height
- 11-3/16" sprayer reach



**FULTON MODERN PLP PULLDOWN FAUCET /
TOGGLE SPRAYER**
MODEL: 10310

LIST PRICES:

GRP 1 : 2205

GRP 2 : 2382

GRP 3 : 2846

SS : 2925

Golds : 3700

SPECIFICATIONS:

- 16-1/16" overall height
- 8-5/8" sprayer reach



**FULTON MODERN PLP PULLDOWN FAUCET /
LEVER SPRAYER**
MODEL: 10360

LIST PRICES:

GRP 1 : 2625

GRP 2 : 2834

GRP 3 : 3387

SS : 3480

Golds : 4403

SPECIFICATIONS:

- 16-1/16" overall height
- 8-5/8" sprayer reach



**FULTON MODERN PLP PULLDOWN FAUCET /
ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 10320**

LIST PRICES:

GRP 1 : 2329
GRP 2 : 2516
GRP 3 : 3007
SS : 3089
Golds : 3909

SPECIFICATIONS:

- 16-1/16" overall height
- 9-1/16" sprayer reach
- 7 degree angled spout



**FULTON MODERN PLP PULLDOWN FAUCET /
ANGLED SPOUT / LEVER SPRAYER
MODEL: 10370**

LIST PRICES:

GRP 1 : 2740
GRP 2 : 2960
GRP 3 : 3538
SS : 3634
Golds : 4599

SPECIFICATIONS:

- 16-1/16" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



**FULTON MODERN PREP SIZE PLP PULLDOWN
FAUCET / TOGGLE SPRAYER
MODEL: 10330**

LIST PRICES:

GRP 1 : 2180
GRP 2 : 2354
GRP 3 : 2813
SS : 2890
Golds : 3657

SPECIFICATIONS:

- 15-3/16" overall height
- 7-5/8" sprayer reach



**FULTON MODERN PREP SIZE PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 10380**

LIST PRICES:

GRP 1 : 2592
GRP 2 : 2799
GRP 3 : 3344
SS : 3437
Golds : 4347

SPECIFICATIONS:

- 15-3/16" overall height
- 7-5/8" sprayer reach



**FULTON MODERN PREP SIZE PLP PULLDOWN
FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 10340**

LIST PRICES:

GRP 1 : 2200
GRP 2 : 2387
GRP 3 : 2849
SS : 2923
Golds : 3704

SPECIFICATIONS:

- 15-3/16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



**FULTON MODERN PREP SIZE PLP PULLDOWN
FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 10390**

LIST PRICES:

GRP 1 : 2613
GRP 2 : 2836
GRP 3 : 3384
SS : 3474
Golds : 4399

SPECIFICATIONS:

- 15-3/16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



MODERN 2-HANDLE PLP



MODERN EXTENDED REACH 2 HANDLE PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 9352

LIST PRICES:

GRP 1 : 1869
GRP 2 : 2494
GRP 3 : 2619
SS : 2650
Golds : 3404

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



MODERN EXTENDED REACH 2 HANDLE PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 9752

LIST PRICES:

GRP 1 : 1958
GRP 2 : 2354
GRP 3 : 2475
SS : 2598
Golds : 3218

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



MODERN 2 HANDLE PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 9452

LIST PRICES:

GRP 1 : 1857
GRP 2 : 2221
GRP 3 : 2459
SS : 2620
Golds : 3197

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



MODERN 2 HANDLE PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 9852

LIST PRICES:

GRP 1 : 1921
GRP 2 : 2316
GRP 3 : 2440
SS : 2562
Golds : 3172

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



**MODERN 2 HANDLE PLP PULLDOWN FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9462**

LIST PRICES:

GRP 1 : 1772

GRP 2 : 2117

GRP 3 : 2463

SS : 2586

Golds : 3202

SPECIFICATIONS:

- 17" overall height
- 9" sprayer reach
- 7 degree angled spout



**MODERN 2 HANDLE PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 9862**

LIST PRICES:

GRP 1 : 1925

GRP 2 : 2321

GRP 3 : 2444

SS : 2566

Golds : 3177

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach
- 7 degree angled spout



MODERN &
CONTEMPORARY

**MODERN PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / TOGGLE SPRAYER
MODEL: 9952**

LIST PRICES:

GRP 1 : 1768

GRP 2 : 2114

GRP 3 : 2459

SS : 2581

Golds : 3197

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**MODERN PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / LEVER SPRAYER
MODEL: 9982**

LIST PRICES:

GRP 1 : 1921

GRP 2 : 2316

GRP 3 : 2440

SS : 2562

Golds : 3172

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**MODERN PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9962**

LIST PRICES:

GRP 1 : 1777

GRP 2 : 2121

GRP 3 : 2467

SS : 2590

Golds : 3207

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



**MODERN PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 9992**

LIST PRICES:

GRP 1 : 1928

GRP 2 : 2325

GRP 3 : 2447

SS : 2569

Golds : 3181

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



FULTON MODERN 2 HANDLE PLP



**FULTON MODERN EXTENDED REACH 2 HANDLE PLP
FAUCET / TOGGLE SPRAYER
MODEL: 10302**

LIST PRICES:

GRP 1 : 1865
GRP 2 : 2158
GRP 3 : 2501
SS : 2626
Golds : 3251

SPECIFICATIONS:

- 19-1/4" overall height
- 11-3/16" sprayer reach



**FULTON MODERN EXTENDED REACH 2 HANDLE PLP
PULLDOWN FAUCET / LEVER SPRAYER
MODEL: 10352**

LIST PRICES:

GRP 1 : 1964
GRP 2 : 2362
GRP 3 : 2481
SS : 2605
Golds : 3225

SPECIFICATIONS:

- 19-1/4" overall height
- 11-3/16" sprayer reach



**FULTON MODERN 2 HANDLE PLP PULLDOWN FAUCET
/ TOGGLE SPRAYER
MODEL: 10312**

LIST PRICES:

GRP 1 : 1798
GRP 2 : 2413
GRP 3 : 2486
SS : 2610
Golds : 3232

SPECIFICATIONS:

- 16" overall height
- 8-5/8" sprayer reach



**FULTON MODERN 2 HANDLE PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 10362**

LIST PRICES:

GRP 1 : 1949
GRP 2 : 2346
GRP 3 : 2467
SS : 2590
Golds : 3207

SPECIFICATIONS:

- 16" overall height
- 8-5/8" sprayer reach



**FULTON MODERN 2 HANDLE PLP PULLDOWN FAUCET /
ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 10322**

LIST PRICES:

GRP 1 : 1804
GRP 2 : 2149
GRP 3 : 2492
SS : 2616
Golds : 3240

SPECIFICATIONS:

- 16" overall height
- 9-1/16" sprayer reach
- 7 degree angled spout



**FULTON MODERN 2 HANDLE PLP PULLDOWN FAUCET /
ANGLED SPOUT / LEVER SPRAYER
MODEL: 10372**

LIST PRICES:

GRP 1 : 1956
GRP 2 : 2352
GRP 3 : 2473
SS : 2596
Golds : 3215

SPECIFICATIONS:

- 16" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



MODERN &
CONTEMPORARY

**FULTON MODERN PREP SIZE 2 HANDLE PLP
PULLDOWN FAUCET / TOGGLE SPRAYER
MODEL: 10332**

LIST PRICES:

GRP 1 : 1801
GRP 2 : 2116
GRP 3 : 2490
SS : 2614
Golds : 3237

SPECIFICATIONS:

- 15-1/8" overall height
- 7-5/8" sprayer reach



**FULTON MODERN PREP SIZE 2 HANDLE PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 10382**

LIST PRICES:

GRP 1 : 1953
GRP 2 : 2318
GRP 3 : 2470
SS : 2593
Golds : 3211

SPECIFICATIONS:

- 15-1/8" overall height
- 7-5/8" sprayer reach



**FULTON MODERN PREP SIZE 2 HANDLE PLP PULLDOWN
FAUCET / ANGLE SPOUT / TOGGLE SPRAYER
MODEL: 10342**

LIST PRICES:

GRP 1 : 1780
GRP 2 : 2014
GRP 3 : 2470
SS : 2593
Golds : 3211

SPECIFICATIONS:

- 15-1/8" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



**FULTON MODERN PREP SIZE 2 HANDLE PLP PULLDOWN
FAUCET / ANGLE SPOUT / LEVER SPRAYER
MODEL: 10392**

LIST PRICES:

GRP 1 : 1930
GRP 2 : 2216
GRP 3 : 2449
SS : 2571
Golds : 3184

SPECIFICATIONS:

- 15-1/8" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



CONTEMPORARY PLP

ALL PLP FAUCETS
MEET THE FOLLOWING:

ASME A112.18.1
CSA B125.1
NSF 61, 372
CALGreen
ICC Certified



BE BOLD

SG

CONTEMPORARY POSITIVE LOCK PULLDOWN FAUCETS

STANDARD FEATURES: All PLP faucets are made from **solid brass** or **stainless steel**. They are all equipped with the "Positive Lock Pulldown" design, locking the sprayer in place for easier use. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Minimum install deck hole size of 1-1/2"
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Contemporary PLP** faucets have an adjustable handle tension ring

CONTEMPORARY EXTENDED REACH PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 5300

LIST PRICES:

GRP 1 : 3124
GRP 2 : 3371
GRP 3 : 4032
SS : 4140
Golds : 5242

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



CONTEMPORARY EXTENDED REACH PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 5700

LIST PRICES:

GRP 1 : 3202
GRP 2 : 3456
GRP 3 : 4132
SS : 4245
Golds : 5372

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



CONTEMPORARY PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 5400

LIST PRICES:

GRP 1 : 2816
GRP 2 : 3040
GRP 3 : 3636
SS : 3733
Golds : 4727

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



CONTEMPORARY PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 5800

LIST PRICES:

GRP 1 : 3076
GRP 2 : 3320
GRP 3 : 3970
SS : 4077
Golds : 5161

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



**CONTEMPORARY PLP PULLDOWN FAUCET /
ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 5410**

LIST PRICES:

GRP 1 : 2898
GRP 2 : 3129
GRP 3 : 3741
SS : 3842
Golds : 4863

SPECIFICATIONS:

- 17" overall height
- 9" sprayer reach
- 7 degree angled spout



**CONTEMPORARY PLP PULLDOWN FAUCET / ANGLED
SPOUT / LEVER SPRAYER
MODEL: 5810**

LIST PRICES:

GRP 1 : 3170
GRP 2 : 3422
GRP 3 : 4092
SS : 4202
Golds : 5320

SPECIFICATIONS:

- 17" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



**CONTEMPORARY PREP SIZE PLP PULLDOWN FAUCET
/ TOGGLE SPRAYER
MODEL: 5900**

LIST PRICES:

GRP 1 : 2803
GRP 2 : 3027
GRP 3 : 3619
SS : 3716
Golds : 4705

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**CONTEMPORARY PREP SIZE PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 5930**

LIST PRICES:

GRP 1 : 2956
GRP 2 : 3194
GRP 3 : 3817
SS : 3921
Golds : 4962

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**CONTEMPORARY PREP SIZE PLP PULLDOWN FAUCET
/ ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 5910**

LIST PRICES:

GRP 1 : 2885
GRP 2 : 3116
GRP 3 : 3726
SS : 3826
Golds : 4844

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



**CONTEMPORARY PREP SIZE PLP PULLDOWN
FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 5940**

LIST PRICES:

GRP 1 : 3046
GRP 2 : 3289
GRP 3 : 3933
SS : 4039
Golds : 5113

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach
- 10 degree angled spout





SB

CONTEMPORARY POT FILLERS

STANDARD FEATURES: All pot fillers are made from **solid brass** or **stainless steel**. All pot fillers have an articulated spout that reaches 22". Other features include:

- Cold water hookup
- 1.75 GPM maximum flow rate
- 1/4 turn ceramic disk valve cartridge
- Built-in check valve to prevent dripping
- All **Pot Fillers** are compatible with reverse osmosis water and reverse osmosis systems

CONTEMPORARY WALL MOUNTED POT FILLER MODEL: 3200

LIST PRICES:
GRP 1 : 1981
GRP 2 : 2139
GRP 3 : 2557
SS : 2626
Golds : 3324



SPECIFICATIONS:

- 8-1/4" overall height
- 22" spout reach

CONTEMPORARY ACCESSORIES

STANDARD FEATURES: All accessories are made from **solid brass** or **stainless steel**. They all are designed to match the style and finish of your Waterstone faucet.

CONTEMPORARY COUNTER MOUNTED POT FILLER MODEL: 3400

LIST PRICES:
GRP 1 : 2118
GRP 2 : 2286
GRP 3 : 2733
SS : 2807
Golds : 3553



SPECIFICATIONS:

- 21-3/8" overall height
- 22" spout reach

BEST SELLERS

CONTEMPORARY AIR SWITCH MODEL: 3010

LIST PRICES:
GRP 1 : 476
GRP 2 : 514
GRP 3 : 615
SS : 632
Golds : 800



SPECIFICATIONS:

- Air activated garbage disposal switch
- Includes connection box
 - 4-1/4"H x 3"W x 2"D
 - 120v 15Amp 1Hp

PARCHE HOT AND COLD FILTRATION FAUCET MODEL: 1400HC

LIST PRICES:
GRP 1 : 878
GRP 2 : 948
GRP 3 : 1135
SS : 1164
Golds : 1476



SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach

CONTEMPORARY SOAP/LOTION DISPENSER MODEL: 4065

LIST PRICES:
GRP 1 : 506
GRP 2 : 546
GRP 3 : 653
SS : 670
Golds : 849



SPECIFICATIONS:

- 4" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity



AVAILABLE IN EXTENDED SPOUT MODEL: 4065E

LIST PRICES:
GRP 1 : 531
GRP 2 : 573
GRP 3 : 686
SS : 704
Golds : 892

SPECIFICATIONS:

- 5" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity

PN

CONTEMPORARY SIDE SPRAY**MODEL: 3025****LIST PRICES:****GRP 1 : 760****GRP 2 : 821****GRP 3 : 982****SS : 1008****Gold's : 1277****SPECIFICATIONS:**

- 48" nylon reinforced connection hose
- PTFE bump guard
- Works with all Waterstone Kitchen, Bridge, and Prep Faucets

CONTEMPORARY HOLE COVER**MODEL: 3080****LIST PRICES:****GRP 1 : 148****GRP 2 : 160****GRP 3 : 193****SS : 196****Gold's : 251****SPECIFICATIONS:**

- 2-1/8" diameter covers standard sink hole
- Perfect for two-hole Bridge faucet

CONTEMPORARY SINGLE PORT AIR GAP**MODEL: 3020****LIST PRICES:****GRP 1 : 302****GRP 2 : 326****GRP 3 : 389****SS : 400****Gold's : 506****SPECIFICATIONS:**

- Prevents dishwasher back flow and dirt buildup
- Matches all Waterstone Contemporary faucets

CONTEMPORARY DUAL PORT AIR GAP**MODEL: 3030****LIST PRICES:****GRP 1 : 416****GRP 2 : 449****GRP 3 : 536****SS : 552****Gold's : 697****SPECIFICATIONS:**

- Prevents dishwasher back flow and dirt buildup
- Includes adapters for either a 2nd dishwasher or a reverse osmosis filtration port

CONTEMPORARY 6" ESCUTCHEON PLATE**MODEL: 3783****LIST PRICES:****GRP 1 : 290****GRP 2 : 314****GRP 3 : 375****SS : 385****Gold's : 488****SPECIFICATIONS:**

- Works with all Waterstone Contemporary PLP, Gantry, Kitchen, and Prep faucets
- Plate will accept 1-3/8" or 1-1/4" mounting shanks

CONTEMPORARY 10" ESCUTCHEON PLATE**MODEL: 3784****LIST PRICES:****GRP 1 : 350****GRP 2 : 377****GRP 3 : 450****SS : 463****Gold's : 585****SPECIFICATIONS:**

- Works with all Waterstone Contemporary PLP, Gantry, Kitchen, and Prep faucets
- Plate will accept 1-3/8" or 1-1/4" mounting shanks

MODERN & CONTEMPORARY COLLECTIONS

MODERN &
CONTEMPORARY



CONTEMPORARY BRIDGE FAUCETS

STANDARD FEATURES: All bridge faucets are made from **solid brass** or **stainless steel**. They are all designed with two holes mounting 8" on the center. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Bridge** faucets have ergonomic double lever handles



UPB



UPB

**PARCHE BRIDGE FAUCET / C-SPOUT
MODEL: 7800**

LIST PRICES:

GRP 1 : 2756
GRP 2 : 2975
GRP 3 : 3556
SS : 3652
Golds : 4623



SPECIFICATIONS:

- 16-1/4" overall height
- 9-1/8" spout reach

**FULTON BRIDGE FAUCET / 2 BEND U-SPOUT
MODEL: 7825**

LIST PRICES:

GRP 1 : 2827
GRP 2 : 3052
GRP 3 : 3649
SS : 3748
Golds : 4744



SPECIFICATIONS:

- 16-1/4" overall height
- 11-1/8" spout reach

**HUNLEY BRIDGE FAUCET / 12" ARTICULATED SPOUT
MODEL: 7600-12**

LIST PRICES:

GRP 1 : 3336
GRP 2 : 3602
GRP 3 : 4306
SS : 4422
Golds : 5598



SPECIFICATIONS:

- 13" overall height
- 12" articulated spout reach

**HUNLEY BRIDGE FAUCET / 18" ARTICULATED SPOUT
MODEL: 7600-18**

LIST PRICES:

GRP 1 : 3625
GRP 2 : 3914
GRP 3 : 4680
SS : 4807
Golds : 6084



SPECIFICATIONS:

- 13" overall height
- 12" articulated spout reach

CONTEMPORARY KITCHEN FAUCETS

STANDARD FEATURES: All kitchen faucets are made from **solid brass** or **stainless steel**. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Kitchen** faucets have ergonomic double lever or cross handles



GR

PARCHE KITCHEN FAUCET / C-SPOUT MODEL: 3800

LIST PRICES:

GRP 1 : 1901
GRP 2 : 2051
GRP 3 : 2453
SS : 2520
Golds : 3189

SPECIFICATIONS:

- 16-5/8" overall height
- 9-1/8" spout reach



FULTON KITCHEN FAUCET / 2 BEND U-SPOUT MODEL: 3825

LIST PRICES:

GRP 1 : 1969
GRP 2 : 2127
GRP 3 : 2547
SS : 2611
Golds : 3303

SPECIFICATIONS:

- 16-5/8" overall height
- 11-1/8" spout reach



HUNLEY KITCHEN FAUCET / 12" ARTICULATED SPOUT MODEL: 3600-12

LIST PRICES:

GRP 1 : 2248
GRP 2 : 2426
GRP 3 : 2901
SS : 2979
Golds : 3771

SPECIFICATIONS:

- 13" overall height
- 12" articulated spout reach



HUNLEY KITCHEN FAUCET / 18" ARTICULATED SPOUT MODEL: 3600-18

LIST PRICES:

GRP 1 : 2384
GRP 2 : 2572
GRP 3 : 3077
SS : 3160
Golds : 4000

SPECIFICATIONS:

- 13" overall height
- 18" articulated spout reach



CONTEMPORARY PREP & BAR FAUCETS

STANDARD FEATURES: All prep and bar faucets are made from **solid brass** or **stainless steel**. Unique in design, the prep and bar faucets are available with a straight, hook, C-, or 2-bend U- spout. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Prep & Bar** faucets have a removable aerator tip for easy cleaning

PARCHE PREP FAUCET / C-SPOUT

MODEL: 3900

LIST PRICES:

GRP 1 : 1765
GRP 2 : 1905
GRP 3 : 2278
SS : 2340
Golds : 2961

SPECIFICATIONS:

- 16-5/8" overall height
- 7" spout reach



FULTON PREP FAUCET / 2-BEND U-SPOUT

MODEL: 3925

LIST PRICES:

GRP 1 : 1833
GRP 2 : 1979
GRP 3 : 2366
SS : 2430
Golds : 3076

SPECIFICATIONS:

- 15-1/4" overall height
- 7" spout reach



HUNLEY PREP FAUCET / STRAIGHT SPOUT

MODEL: 3500

LIST PRICES:

GRP 1 : 1895
GRP 2 : 2046
GRP 3 : 2445
SS : 2512
Golds : 3179

SPECIFICATIONS:

- 13" overall height
- 6-1/2" spout reach



PARCHE BAR FAUCET

MODEL: 1600

LIST PRICES:

GRP 1 : 1036
GRP 2 : 1117
GRP 3 : 1336
SS : 1372
Golds : 1737

SPECIFICATIONS:

- 13" overall height
- 7-1/4" spout reach



FULTON BAR FAUCET
MODEL: 1625

LIST PRICES:

GRP 1 : 1048

GRP 2 : 1133

GRP 3 : 1353

SS : 1391

Golds : 1759

SPECIFICATIONS:

- 13" overall height
- 6-1/4" spout reach



HUNLEY BAR FAUCET
MODEL: 2500

LIST PRICES:

GRP 1 : 1393

GRP 2 : 1504

GRP 3 : 1797

SS : 1846

Golds : 2336

SPECIFICATIONS:

- 11" overall height
- 7" spout reach



SN



ALL FAUCETS
MEET THE FOLLOWING
ASME A112.18.1
CSA B125.1
NSF 61, 372
CALGreen
ICC Certified

AC

CONTEMPORARY FILTRATION FAUCETS

STANDARD FEATURES: All filtration faucets are made from **solid brass** or **stainless steel**. Designed to perfectly accompany any Waterstone Faucet. Other features include:

- 1.1 GPM maximum flow rate
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- All **Filtration** faucets have a removable aerator tip for easy cleaning

PARCHE COLD ONLY FILTRATION FAUCET MODEL: 1400C

LIST PRICES:

GRP 1 : 740
GRP 2 : 799
GRP 3 : 955
SS : 980
Golds : 1242

SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach



FULTON COLD ONLY FILTRATION FAUCET MODEL: 1425C

LIST PRICES:

GRP 1 : 791
GRP 2 : 852
GRP 3 : 1020
SS : 1048
Golds : 1326

SPECIFICATIONS:

- 9-3/4" overall height
- 6" spout reach



PARCHE HOT ONLY FILTRATION FAUCET MODEL: 1400H

LIST PRICES:

GRP 1 : 810
GRP 2 : 875
GRP 3 : 1044
SS : 1073
Golds : 1357

SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach



FULTON HOT ONLY FILTRATION FAUCET MODEL: 1425H

LIST PRICES:

GRP 1 : 859
GRP 2 : 928
GRP 3 : 1108
SS : 1138
Golds : 1440

SPECIFICATIONS:

- 9-3/4" overall height
- 6" spout reach



PARCHE HOT AND COLD FILTRATION FAUCET MODEL: 1400HC

LIST PRICES:

GRP 1 : 878
GRP 2 : 948
GRP 3 : 1135
SS : 1164
Golds : 1476

SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach



FULTON HOT AND COLD FILTRATION FAUCET MODEL: 1425HC

LIST PRICES:

GRP 1 : 928
GRP 2 : 1002
GRP 3 : 1198
SS : 1230
Golds : 1557

SPECIFICATIONS:

- 9-3/4" overall height
- 6" spout reach



**HUNLEY COLD ONLY FILTRATION FAUCET
MODEL: 1900C**

LIST PRICES:

GRP 1 : 1053

GRP 2 : 1136

GRP 3 : 1358

SS : 1395

Golds : 1765

SPECIFICATIONS:

- 9" overall height
- 5-3/4" spout reach



**HUNLEY HOT ONLY FILTRATION FAUCET
MODEL: 1900H**

LIST PRICES:

GRP 1 : 1115

GRP 2 : 1202

GRP 3 : 1438

SS : 1477

Golds : 1869

SPECIFICATIONS:

- 9" overall height
- 5-3/4" spout reach



**HUNLEY HOT AND COLD FILTRATION FAUCET
MODEL: 1900HC**

LIST PRICES:

GRP 1 : 1182

GRP 2 : 1276

GRP 3 : 1526

SS : 1567

Golds : 1987

SPECIFICATIONS:

- 9" overall height
- 5-3/4" spout reach



INDUSTRIAL





INDUSTRIAL PLP

STANDARD FEATURES: All PLP faucets are made from **solid brass** or **stainless steel**. They are all equipped with the "Positive Lock Pulldown" design, lock the sprayer in place for easier use. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Minimum install deck hole size of 1-1/2"
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Modern PLP** faucets have a wave spring handle tension



PRECISION-
CUT

CONFIGURING THE INDUSTRIAL PLP

Like all PLPs, the Industrial PLP can be **Extended**, and can come in the **Standard** size, or the **Prep** size. The **Standard** and **Prep** can both be **Angled** for deep faucet settings.



The spray head is available in a **Toggle** or **Lever** spray. The faucet spout can be a single C-bend spout or a two U-bend "**Futton**" spout.



All industrial faucets are available in a single-handle control faucet or a two-handle, independent hot and cold option.



INDUSTRIAL POSITIVE LOCK PULLDOWN FAUCETS



**INDUSTRIAL EXTENDED REACH PLP pulldown
FAUCET / TOGGLE SPRAYER
MODEL: 9300**

LIST PRICES:

GRP 1 : 2445
GRP 2 : 2640
GRP 3 : 3156
SS : 3242
Golds : 4103

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



**INDUSTRIAL EXTENDED REACH PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 9700**

LIST PRICES:

GRP 1 : 2848
GRP 2 : 3075
GRP 3 : 3676
SS : 3775
Golds : 4779

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



**INDUSTRIAL PLP PULLDOWN FAUCET / TOGGLE
SPRAYER
MODEL: 9400**

LIST PRICES:

GRP 1 : 2192
GRP 2 : 2367
GRP 3 : 2830
SS : 2907
Golds : 3679

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



**INDUSTRIAL PLP PULLDOWN FAUCET / LEVER
SPRAYER
MODEL: 9800**

LIST PRICES:

GRP 1 : 2592
GRP 2 : 2799
GRP 3 : 3345
SS : 3435
Golds : 4349

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



INDUSTRIAL PLP PULLDOWN FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9410

LIST PRICES:

GRP 1 : 2311
 GRP 2 : 2494
 GRP 3 : 2982
 SS : 3062
 Golds : 3877

SPECIFICATIONS:

- 17" overall height
- 9" sprayer reach
- 7 degree angled spout



INDUSTRIAL PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 9810

LIST PRICES:

GRP 1 : 2702
 GRP 2 : 2917
 GRP 3 : 3488
 SS : 3582
 Golds : 4534

SPECIFICATIONS:

- 17" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



INDUSTRIAL PREP SIZE PLP PULLDOWN FAUCET / TOGGLE SPRAYER
MODEL: 9900

LIST PRICES:

GRP 1 : 2169
 GRP 2 : 2342
 GRP 3 : 2799
 SS : 2874
 Golds : 3639

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



INDUSTRIAL PREP SIZE PLP PULLDOWN FAUCET / LEVER SPRAYER
MODEL: 9930

LIST PRICES:

GRP 1 : 2560
 GRP 2 : 2765
 GRP 3 : 3305
 SS : 3394
 Golds : 4297

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



INDUSTRIAL PREP SIZE PLP PULLDOWN FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9910

LIST PRICES:

GRP 1 : 2174
 GRP 2 : 2348
 GRP 3 : 2806
 SS : 2883
 Golds : 3648

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



INDUSTRIAL PREP SIZE PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 9940

LIST PRICES:

GRP 1 : 2566
 GRP 2 : 2771
 GRP 3 : 3312
 SS : 3402
 Golds : 4306

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



FULTON INDUSTRIAL PLP



FULTON INDUSTRIAL EXTENDED REACH PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 10200

LIST PRICES:

GRP 1 : 2567

GRP 2 : 2771

GRP 3 : 3314

SS : 3404

Golds : 4308

SPECIFICATIONS:

- 20-3/16" overall height
- 11-3/16" sprayer reach



FULTON INDUSTRIAL EXTENDED REACH PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 10250

LIST PRICES:

GRP 1 : 2990

GRP 2 : 3227

GRP 3 : 3860

SS : 3965

Golds : 5018

SPECIFICATIONS:

- 20-3/16" overall height
- 11-3/16" sprayer reach



FULTON INDUSTRIAL PLP PULLDOWN FAUCET / TOGGLE SPRAYER MODEL: 10210

LIST PRICES:

GRP 1 : 2302

GRP 2 : 2486

GRP 3 : 2971

SS : 3053

Golds : 3862

SPECIFICATIONS:

- 16-1/16" overall height
- 8-5/8" sprayer reach



FULTON INDUSTRIAL PLP PULLDOWN FAUCET / LEVER SPRAYER MODEL: 10260

LIST PRICES:

GRP 1 : 2722

GRP 2 : 2939

GRP 3 : 3512

SS : 3608

Golds : 4566

SPECIFICATIONS:

- 16-1/16" overall height
- 8-5/8" sprayer reach



**FULTON INDUSTRIAL PLP PULLDOWN FAUCET /
ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 10220**

LIST PRICES:

GRP 1 : 2425
GRP 2 : 2618
GRP 3 : 3131
SS : 3215
Golds : 4070

SPECIFICATIONS:

- 16-1/16" overall height
- 9-1/16" sprayer reach
- 7 degree angled spout



**FULTON INDUSTRIAL PLP PULLDOWN FAUCET /
ANGLED SPOUT / LEVER SPRAYER
MODEL: 10270**

LIST PRICES:

GRP 1 : 2837
GRP 2 : 3063
GRP 3 : 3662
SS : 3761
Golds : 4761

SPECIFICATIONS:

- 16-1/16" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



**FULTON INDUSTRIAL PREP SIZE PLP PULLDOWN
FAUCET / TOGGLE SPRAYER
MODEL: 10230**

LIST PRICES:

GRP 1 : 2278
GRP 2 : 2459
GRP 3 : 2938
SS : 3018
Golds : 3819

SPECIFICATIONS:

- 15-3/16" overall height
- 7-5/8" sprayer reach



**FULTON INDUSTRIAL PREP SIZE PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 10280**

LIST PRICES:

GRP 1 : 2703
GRP 2 : 2918
GRP 3 : 3487
SS : 3582
Golds : 4533

SPECIFICATIONS:

- 15-3/16" overall height
- 7-5/8" sprayer reach



**FULTON INDUSTRIAL PREP SIZE PLP PULLDOWN
FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 10240**

LIST PRICES:

GRP 1 : 2297
GRP 2 : 2490
GRP 3 : 2972
SS : 3051
Golds : 3864

SPECIFICATIONS:

- 15-3/16" overall height
- 7-5/8" sprayer reach
- 10 degree angled spout



**FULTON INDUSTRIAL PREP SIZE PLP PULLDOWN
FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 10290**

LIST PRICES:

GRP 1 : 2708
GRP 2 : 2936
GRP 3 : 3505
SS : 3598
Golds : 4557

SPECIFICATIONS:

- 15-3/16" overall height
- 7-5/8" sprayer reach
- 10 degree angled spout



INDUSTRIAL 2-HANDLE PLP



**INDUSTRIAL 2 HANDLE PLP PULLDOWN KITCHEN
FAUCET EXT. REACH / TOGGLE SPRAYER
MODEL: 9302**

LIST PRICES:

GRP 1 : 1855
GRP 2 : 2148
GRP 3 : 2366
SS : 2484
Golds : 3076

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



**INDUSTRIAL 2 HANDLE PLP PULLDOWN KITCHEN
FAUCET / LEVER SPRAYER
MODEL: 9702**

LIST PRICES:

GRP 1 : 2244
GRP 2 : 2667
GRP 3 : 2599
SS : 2728
Golds : 3379

SPECIFICATIONS:

- 21-1/2" overall height
- 11-1/8" sprayer reach



**INDUSTRIAL 2 HANDLE PULLDOWN KITCHEN
FAUCET / TOGGLE SPRAYER
MODEL: 9402**

LIST PRICES:

GRP 1 : 1818
GRP 2 : 2109
GRP 3 : 2331
SS : 2447
Golds : 3030

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



**INDUSTRIAL 2 HANDLE PLP PULLDOWN KITCHEN
FAUCET / LEVER SPRAYER
MODEL: 9802**

LIST PRICES:

GRP 1 : 2162
GRP 2 : 2582
GRP 3 : 2833
SS : 2974
Golds : 3683

SPECIFICATIONS:

- 17" overall height
- 8-5/8" sprayer reach



**INDUSTRIAL 2 HANDLE PLP PULLDOWN KITCHEN
FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9412**

LIST PRICES:

GRP 1 : 1821
GRP 2 : 2114
GRP 3 : 2460
SS : 2583
Golds : 3198

SPECIFICATIONS:

- 17" overall height
- 9" sprayer reach
- 7 degree angled spout



**INDUSTRIAL 2 HANDLE PLP PULLDOWN KITCHEN
FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 9812**

LIST PRICES:

GRP 1 : 2135
GRP 2 : 2554
GRP 3 : 2496
SS : 2620
Golds : 3245

SPECIFICATIONS:

- 17" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



**INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN
KITCHEN FAUCET / TOGGLE SPRAYER
MODEL: 9902**

LIST PRICES:

GRP 1 : 1818
GRP 2 : 2109
GRP 3 : 2456
SS : 2578
Golds : 3193

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN
KITCHEN FAUCET / ANGLED SPOUT / LEVER HANDLE
MODEL: 9932**

LIST PRICES:

GRP 1 : 2162
GRP 2 : 2582
GRP 3 : 2514
SS : 2639
Golds : 3268

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach



**INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN
KITCHEN FAUCET / ANGLED SPOUT / TOGGLE SPRAYER
MODEL: 9912**

LIST PRICES:

GRP 1 : 1825
GRP 2 : 2118
GRP 3 : 2456
SS : 2580
Golds : 3193

SPECIFICATIONS:

- 16" overall height
- 7-5/8" sprayer reach
- 10 degree angled spout



**INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN
KITCHEN FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 9942**

LIST PRICES:

GRP 1 : 2170
GRP 2 : 2590
GRP 3 : 2472
SS : 2595
Golds : 3214

SPECIFICATIONS:

- 16" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



FULTON MODERN 2 HANDLE PLP



**FULTON INDUSTRIAL EXTENDED REACH 2 HANDLE
PLP PULLDOWN FAUCET / TOGGLE SPRAYER
MODEL: 10202**

LIST PRICES:

GRP 1 : 2014
GRP 2 : 2328
GRP 3 : 2497
SS : 2621
Golds : 3246

SPECIFICATIONS:

- 19-1/8" overall height
- 11-3/16" sprayer reach



**FULTON INDUSTRIAL EXTENDED REACH 2 HANDLE PLP
PULLDOWN FAUCET / LEVER SPRAYER
MODEL: 10252**

LIST PRICES:

GRP 1 : 2003
GRP 2 : 2401
GRP 3 : 2518
SS : 2643
Golds : 3273

SPECIFICATIONS:

- 19-1/4" overall height
- 11-3/16" sprayer reach



**FULTON INDUSTRIAL 2 HANDLE PLP PULLDOWN
FAUCET / TOGGLE SPRAYER
MODEL: 10212**

LIST PRICES:

GRP 1 : 1978
GRP 2 : 2291
GRP 3 : 2522
SS : 1648
Golds : 3279

SPECIFICATIONS:

- 16" overall height
- 8-5/8" sprayer reach



**FULTON INDUSTRIAL 2 HANDLE PLP PULLDOWN
FAUCET / LEVER SPRAYER
MODEL: 10262**

LIST PRICES:

GRP 1 : 2143
GRP 2 : 2578
GRP 3 : 2642
SS : 2691
Golds : 3332

SPECIFICATIONS:

- 16" overall height
- 8-5/8" sprayer reach



**FULTON INDUSTRIAL 2 HANDLE PLP PULLDOWN FAUCET / ANGLED SPOUT / TOGGLE SPRAY
MODEL: 10222**

LIST PRICES:

GRP 1 : 1853
GRP 2 : 2145
GRP 3 : 2489
SS : 2613
Golds : 3236

SPECIFICATIONS:

- 16" overall height
- 9-1/16" sprayer reach
- 7 degree angled spout



**FULTON INDUSTRIAL 2 HANDLE PLP PULLDOWN FAUCET / ANGLED SPOUT / LEVER SPRAYER
MODEL: 10272**

LIST PRICES:

GRP 1 : 2052
GRP 2 : 2469
GRP 3 : 2477
SS : 2599
Golds : 3220

SPECIFICATIONS:

- 16" overall height
- 9-1/8" sprayer reach
- 7 degree angled spout



**FULTON INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / TOGGLE SPRAYER
MODEL: 10232**

LIST PRICES:

GRP 1 : 1850
GRP 2 : 2111
GRP 3 : 2546
SS : 2673
Golds : 3310

SPECIFICATIONS:

- 15-1/8" overall height
- 7-5/8" sprayer reach



**FULTON INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / LEVER SPRAYER
MODEL: 10282**

LIST PRICES:

GRP 1 : 2147
GRP 2 : 2535
GRP 3 : 2566
SS : 2694
Golds : 3336

SPECIFICATIONS:

- 15-1/8" overall height
- 7-5/8" sprayer reach



**FULTON INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / ANGLE SPOUT / TOGGLE SPRAYER
MODEL: 10242**

LIST PRICES:

GRP 1 : 1826
GRP 2 : 2009
GRP 3 : 2524
SS : 2650
Golds : 3281

SPECIFICATIONS:

- 15-1/8" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



**FULTON INDUSTRIAL PREP SIZE 2 HANDLE PLP PULLDOWN FAUCET / ANGLE SPOUT / LEVER SPRAYER
MODEL: 10292**

LIST PRICES:

GRP 1 : 2123
GRP 2 : 2432
GRP 3 : 2544
SS : 2671
Golds : 3307

SPECIFICATIONS:

- 15-1/8" overall height
- 8-3/8" sprayer reach
- 10 degree angled spout



BEST SELLERS

INDUSTRIAL AIR SWITCH MODEL: 9010

LIST PRICES:
GRP 1 : 480
GRP 2 : 519
GRP 3 : 620
SS : 636
Golds : 806



SPECIFICATIONS:

- Air activated garbage disposal switch
- Includes connection box
 - 4-1/4"H x 3"W x 2"D
 - 120v 15Amp 1Hp

INDUSTRIAL HOT AND COLD FILTRATION FAUCET / C-SPOUT MODEL: 1450HC

LIST PRICES:
GRP 1 : 949
GRP 2 : 1022
GRP 3 : 1224
SS : 1257
Golds : 1591



SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach

INDUSTRIAL SOAP/ LOTION DISPENSER MODEL: 9065

LIST PRICES:
GRP 1 : 509
GRP 2 : 550
GRP 3 : 658
SS : 678
Golds : 855



SPECIFICATIONS:

- 4" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity

AVAILABLE IN EXTENDED SPOUT MODEL: 9065E

LIST PRICES:
GRP 1 : 534
GRP 2 : 578
GRP 3 : 691
SS : 709
Golds : 898

SPECIFICATIONS:

- 5" reach spout
- Pump removes to fill from top of sink
- 2cc pump, 12 oz. bottle capacity



SN

INDUSTRIAL POT FILLERS

INDUSTRIAL WALL MOUNTED POT FILLER MODEL: 3250

LIST PRICES:

GRP 1 : 2043

GRP 2 : 2205


GRP 3 : 2638

SS : 2708

Golds : 3429

SPECIFICATIONS:

- 8-1/4" overall height
- 22" spout reach



STANDARD FEATURES: All pot fillers are made from **solid brass** or **stainless steel**. All pot fillers have an articulated spout that reaches 22". Other features include:

- Cold water hookup
- 1.75 GPM maximum flow rate
- 1/4 turn ceramic disk valve cartridge
- Built-in check valve to prevent dripping
- All **Pot Fillers** are compatible with reverse osmosis water and reverse osmosis systems



INDUSTRIAL ACCESSORIES

INDUSTRIAL SINGLE PORT AIR GAP MODEL: 9020

LIST PRICES:

GRP 1 : 315

GRP 2 : 340

GRP 3 : 407

SS : 417

Golds : 529



SPECIFICATIONS:

- Prevents dishwasher back flow and dirt buildup
- Knurling matches all Waterstone Industrial faucets

INDUSTRIAL DUAL PORT AIR GAP MODEL: 9030

LIST PRICES:

GRP 1 : 442

GRP 2 : 478

GRP 3 : 572

SS : 585

Golds : 743



SPECIFICATIONS:

- Prevents dishwasher back flow and dirt buildup
- Includes adapters for either a 2nd dishwasher or a reverse osmosis filtration port



TRADITIONAL PREP & BAR FAUCETS

STANDARD FEATURES: All prep and bar faucets are made from **solid brass** or **stainless steel**. Unique in design, the prep and bar faucets are available with a straight, hook, C-, or 2-bend U- spout. Other features include:

- 1.75 GPM maximum flow rate with aerated tip
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Compatible with reverse osmosis water and reverse osmosis water systems
- All **Prep & Bar** faucets have a removable aerator tip for easy cleaning

INDUSTRIAL BAR FAUCET / C-SPOUT MODEL: 1650

LIST PRICES:

GRP 1 : 1137
GRP 2 : 1230
GRP 3 : 1469
SS : 1510
Golds : 1910

SPECIFICATIONS:

- 13" overall height
- 7-1/4" spout reach



INDUSTRIAL BAR FAUCET / 2 BEND U-SPOUT MODEL: 1655

LIST PRICES:

GRP 1 : 1152
GRP 2 : 1245
GRP 3 : 1487
SS : 1527
Golds : 1933

SPECIFICATIONS:

- 13" overall height
- 6-1/4" spout reach



INDUSTRIAL FILTRATION FAUCETS

STANDARD FEATURES: All filtration faucets are made from **solid brass** or **stainless steel**. Designed to perfectly accompany any Waterstone Faucet. Other features include:

- 1.1 GPM maximum flow rate
- 360 degree spout swivel
- Hot/cold ceramic disk valve cartridge
- Equipped with spray diverter and 1/4" NPT pipe fitting connection for optional side spray
- All **Filtration** faucets have a removable aerator tip for easy cleaning

**INDUSTRIAL COLD ONLY FILTRATION FAUCET /
C-SPOUT
MODEL: 1450C**

LIST PRICES:

GRP 1 : 797
GRP 2 : 862
GRP 3 : 1031
SS : 1058
Golds : 1340

SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach



**INDUSTRIAL COLD ONLY FILTRATION FAUCET /
2 BEND U-SPOUT
MODEL: 1455C**

LIST PRICES:

GRP 1 : 853
GRP 2 : 919
GRP 3 : 1100
SS : 1130
Golds : 1430

SPECIFICATIONS:

- 9-3/4" overall height
- 6" spout reach



**INDUSTRIAL HOT ONLY FILTRATION FAUCET /
C-SPOUT
MODEL: 1450H**

LIST PRICES:

GRP 1 : 873
GRP 2 : 944
GRP 3 : 1127
SS : 1158
Golds : 1465

SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach



**INDUSTRIAL HOT ONLY FILTRATION FAUCET /
2 BEND U-SPOUT
MODEL: 1455H**

LIST PRICES:

GRP 1 : 936
GRP 2 : 1010
GRP 3 : 1207
SS : 1240
Golds : 1569

SPECIFICATIONS:

- 9-3/4" overall height
- 6" spout reach



**INDUSTRIAL HOT AND COLD FILTRATION FAUCET
/ C-SPOUT
MODEL: 1450HC**

LIST PRICES:

GRP 1 : 949
GRP 2 : 1022
GRP 3 : 1224
SS : 1257
Golds : 1591

SPECIFICATIONS:

- 9-3/4" overall height
- 4" spout reach



**INDUSTRIAL HOT AND COLD FILTRATION FAUCET /
2 BEND U-SPOUT
MODEL: 1455HC**

LIST PRICES:

GRP 1 : 1011
GRP 2 : 1093
GRP 3 : 1307
SS : 1342
Golds : 1699

SPECIFICATIONS:

- 9-3/4" overall height
- 6" spout reach





MB-CLZ





UNDER SINK SYSTEMS

Enhance your Waterstone faucet suite with our premium under-sink system, featuring advanced filtration, digital hot tanks, and leak detection for ultimate convenience and peace of mind. Designed for effortless integration, elevate your kitchen experience with the perfect blend of innovation and luxury.

ULTIMATE UNDER SINK SYSTEM MODEL: 1002

LIST PRICE:
1355

Includes a Digital Hot Tank, new Filtration System and a Safety Valve Leak Detector.



HOT TANK MODEL: 5000

LIST PRICE:
684

SPECIFICATIONS:

- 11-1/4"H x 6-3/4"W x 8-1/4"D
- Adjustable temperature 140F to 190F
- Heating element: 1300 watts, 10.8 amps, 120 volts, 600 Hz



INSTA-HOT UNDER SINK SYSTEM MODEL: 2002

LIST PRICE:
855

Includes Digital Hot Tank and a Safety Valve Leak Detector.



DIGITAL HOT TANK MODEL: 7000

LIST PRICE:
725

SPECIFICATIONS:

- 12-1/4"H x 8"W x 8"D
- Precision temperature adjustment from 167F to 208F
- Heating element: 1500 watts, 120 volts



FILTRATION UNDER SINK SYSTEM MODEL: 3002

LIST PRICE:
691

Includes a new Filtration System and a Safety Valve Leak Detector.



PRESSURE REGULATOR VALVE (PRV): MODEL: 4500

LIST PRICE:
161

MEETS THE FOLLOWING:

- NSF



SAFETY VALVE LEAK DETECTOR
MODEL: AS-414-SS

LIST PRICE:
209



MEETS THE FOLLOWING:

- ASME A112.18.1
- CSA B125.1

MULTI-STAGE FILTRATION UNIT
MODEL: 32101

LIST PRICE:
547



MEETS THE FOLLOWING:

- NSF

FILTRATION REPLACEMENT CARTRIDGES
MODELS: 32102

LIST PRICES:
SINGLE: 243



MEETS THE FOLLOWING:

- NSF



DISCOVER MORE

STAY CONNECTED

SUBSCRIBE TO
OUR NEWSLETTER



MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Gold	Page
1002	Ultimate Under Sink System	1355					99
1100C	Annapolis Cold Only Filtration Faucet - Lever Handle	853	919	1100		1430	48
1100H	Annapolis Hot Only Filtration Faucet - Lever Handle	886	957	1143		1486	48
1100HC	Annapolis Hot And Cold Filtration Faucet - Lever Handles	995	1076	1285		1671	48
1150C	Annapolis Cold Only Filtration Faucet - Cross Handle	894	965	1153		1499	48
1150H	Annapolis Hot Only Filtration Faucet - Cross Handle	920	994	1187		1543	48
1150HC	Annapolis Hot And Cold Filtration Faucet - Cross Handles	1032	1115	1332		1732	48
1200C	Hampton Cold Only Filtration Faucet - Lever Handle	772	833	996		1295	51
1200H	Hampton Hot Only Filtration Faucet - Lever Handle	825	891	1065		1385	51
1200HC	Hampton Hot And Cold Filtration Faucet - Lever Handles	934	1009	1205		1567	51
1202C	Pembroke Cold Only Filtration Faucet - Lever Handle	856	925	1104		1435	49
1202H	Pembroke Hot Only Filtration Faucet - Lever Handle	930	1004	1200		1560	49
1202HC	Pembroke Hot And Cold Filtration Faucet - Lever Handles	1044	1129	1349		1754	49
1250C	Hampton Cold Only Filtration Faucet - Cross Handle	809	872	1043		1356	51
1250H	Hampton Hot Only Filtration Faucet - Cross Handle	859	928	1108		1440	51
1250HC	Hampton Hot And Cold Filtration Faucet - Cross Handles	968	1045	1249		1624	51
1252C	Pembroke Cold Only Filtration Faucet - Cross Handle	888	960	1148		1492	49
1252H	Pembroke Hot Only Filtration Faucet - Cross Handle	956	1033	1235		1606	49
1252HC	Pembroke Hot And Cold Filtration Faucet - Cross Handles	1076	1163	1390		1807	49
1300	Annapolis Bar Faucet - Lever Handles	1168	1262	1509		1962	45
1350	Annapolis Bar Faucet - Cross Handles	1204	1300	1553		2019	45
1400C	Parche Cold Only Filtration Faucet	740	799	955	980	1242	77
1400H	Parche Hot Only Filtration Faucet	810	875	1044	1073	1357	77
1400HC	Parche Hot And Cold Filtration Faucet	878	948	1135	1164	1476	77
1425C	Fulton Cold Only Filtration Faucet	791	852	1020	1048	1326	77
1425H	Fulton Hot Only Filtration Faucet	859	928	1108	1138	1440	77
1425HC	Fulton Hot And Cold Filtration Faucet	928	1002	1198	1230	1557	77
1450C	Industrial Cold Only Filtration Faucet - C-Spout	797	862	1031	1058	1340	95
1450H	Industrial Hot Only Filtration Faucet - C-Spout	873	944	1127	1158	1465	95
1450HC	Industrial Hot And Cold Filtration Faucet - C-Spout	949	1022	1224	1257	1591	95
1455C	Industrial Cold Only Filtration Faucet - 2 Bend U-Spout	853	919	1100	1130	1430	95
1455H	Industrial Hot Only Filtration Faucet - 2 Bend U-Spout	936	1010	1207	1240	1569	95
1455HC	Industrial Hot And Cold Filtration Faucet - 2 Bend U-Spout	1011	1093	1307	1342	1699	95
1500	Hampton Bar Faucet - Lever Handles	1042	1127	1346		1750	45
1502	Pembroke Bar Faucet - Lever Handles	1089	1177	1405		1827	45
1550	Hampton Bar Faucet - Cross Handles	1101	1189	1421		1847	45
1552	Pembroke Bar Faucet - Cross Handles	1137	1230	1469		1910	45
1600	Parche Bar Faucet	1036	1117	1336	1372	1737	74

MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Golds	Page
1625	Fulton Bar Faucet	1048	1133	1353	1391	1759	75
1650	Industrial Bar Faucet - C-Spout	1137	1230	1469	1510	1910	94
1655	Industrial Bar Faucet - 2 Bend U-Spout	1152	1245	1487	1527	1933	94
1700C	Towson Cold Only Filtration Faucet - Lever Handle	1076	1163	1390		1807	50
1700H	Towson Hot Only Filtration Faucet - Lever Handle	1145	1235	1477		1920	50
1700HC	Towson Hot And Cold Filtration Faucet - Lever Handles	1269	1370	1637		2128	50
1750C	Towson Cold Only Filtration Faucet - Cross Handle	1106	1196	1429		1858	50
1750H	Towson Hot Only Filtration Faucet - Cross Handle	1168	1260	1507		1959	50
1750HC	Towson Hot And Cold Filtration Faucet - Cross Handles	1364	1474	1762		2291	50
1800	Towson Bar Faucet - Lever Handles	1374	1482	1773		2305	44
1850	Towson Bar Faucet - Cross Handles	1449	1565	1871		2432	44
1900C	Hunley Cold Only Filtration Faucet	1053	1136	1358	1395	1765	78
1900H	Hunley Hot Only Filtration Faucet	1115	1202	1438	1477	1869	78
1900HC	Hunley Hot And Cold Filtration Faucet	1182	1276	1526	1567	1984	78
2002	Insta-Hot Under Sink System	855					99
2500	Hunley Bar Faucet	1393	1504	1797	1846	2336	75
3002	Filtration Under Sink System	691					99
3010	Contemporary Air Switch	476	514	615	632	800	66
3020	Contemporary Single Port Air Gap	302	326	389	400	506	70
3025	Contemporary Side Spray	760	821	982	1008	1277	70
3030	Contemporary Dual Port Air Gap	416	449	536	552	697	70
3080	Contemporary Sink Hole Cover	148	160	193	196	251	70
3100	Traditional Wall Mounted Pot Filler - Lever Handle	2130	2300	2750		3575	36
3150	Traditional Wall Mounted Pot Filler - Cross Handle	2161	2334	2791		3629	36
3200	Contemporary Wall Mounted Pot Filler	1981	2139	2557	2626	3324	69
32101	Water Filtration System	547					100
32102	Filtration Replacement Cartridge	243					100
3250	Industrial Wall Mounted Pot Filler	2043	2205	2638	2708	3429	93
3300	Traditional Counter Mounted Pot Filler - Lever Handle	2118	2286	2733		3553	37
3350	Traditional Counter Mounted Pot Filler - Cross Handle	2256	2436	2912		3786	37
3400	Contemporary Counter Mounted Pot Filler	2118	2286	2733	2807	3553	69
3500	Hunley Prep Faucet	1895	2046	2445	2512	3179	74
3600-12	Hunley Kitchen Faucet - 12" Articulated Spout	2248	2426	2901	2979	3771	73
3600-18	Hunley Kitchen Faucet - 18" Articulated Spout	2384	2572	3077	3160	4000	73
3700	Contemporary Gantry Pulldown Faucet - Straight Spout	6632	7160	8559	8792	11127	29
3710-12	Contemporary Gantry Pulldown Faucet - 12" Articulated Spout	7046	7608	9095	9342	11824	29
3710-18	Contemporary Gantry Pulldown Faucet - 18" Articulated Spout	7235	7811	9336	9590	12137	29
3783	Contemporary 6" Escutcheon Plate	290	314	375	385	488	70

MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Golds	Page
3784	Contemporary 10" Escutcheon Plate	350	377	450	463	585	70
3800	Parche Kitchen Faucet	1901	2051	2453	2520	3189	73
3825	Fulton Kitchen Faucet	1969	2127	2541	2611	3303	73
3900	Parche Prep Faucet	1765	1905	2278	2340	2961	74
3925	Fulton Prep Faucet	1833	1979	2366	2430	3076	74
4010	Traditional Air Switch	526	569	680		884	34
4020	Traditional Single Port Air Gap	335	361	431		560	38
4025	Traditional Side Spray	760	821	982		1277	38
4030	Traditional Dual Port Air Gap	414	447	535		695	38
4055	Traditional Soap/Lotion Dispenser - Straight Spout	598	645	771		1002	37
4055E	Traditional Soap/Lotion Dispenser - Extended Straight Spout	628	678	810		1053	37
4060	Traditional Soap/Lotion Dispenser - Hook Spout	598	645	771		1002	34
4060E	Traditional Soap/Lotion Dispenser - Extended Hook Spout	628	678	810		1053	34
4065	Contemporary Soap/Lotion Dispenser	506	546	653	670	849	66
4065E	Contemporary Soap/Lotion Dispenser - Extended Spout	531	573	686	704	892	66
4070	Traditional Sink Hole Cover - Compass Button	131	141	168		218	37
4080	Traditional Sink Hole Cover - Finish Button	137	148	178		231	37
4100-12	Towson Kitchen Faucet - 12" Articulated Spout	2192	2367	2832		3682	42
4100-18	Towson Kitchen Faucet - 18" Articulated Spout	2322	2508	2999		3899	42
4200	Annapolis Kitchen Faucet	1975	2132	2550		3315	42
4300	Hampton Kitchen Faucet	1942	2096	2506		3258	42
4400	Traditional Gantry Pulldown Faucet - Hook Spout	5842	6307	7539		9801	27
4410-12	Traditional Gantry Pulldown Faucet - 12" Articulated Spout	6726	7262	8681		11285	27
4410-18	Traditional Gantry Pulldown Faucet - 18" Articulated Spout	6913	7465	8924		11601	27
4500	PRV Valve	161					99
4700	Towson Prep Faucet	1935	2088	2497		3246	44
4783	Traditional 6" Escutcheon Plate	311	336	401		521	38
4784	Traditional 10" Escutcheon Plate	383	412	493		641	38
4800	Annapolis Prep Faucet	1901	2051	2453		3189	44
4900	Hampton Prep Faucet	1833	1979	2366		3076	44
5000	Hot Tank	684					99
5100	Wheel Pulldown Faucet	7275	7855	9390		12207	24
5125	Endeavor Wheel Pulldown Faucet - Toggle Sprayer	8344	9010	10770		14001	24
5130	Endeavor Wheel Pulldown Faucet - Lever Sprayer	8539	9220	11023		14330	24
5200	Traditional Prep Size PLP Pulldown Faucet	2812	3035	3628		4716	35
5210	Traditional Prep Size PLP Pulldown Faucet - Angled Spout	2894	3123	3734		4854	35
5300	Contemporary Extended Reach PLP Pulldown Faucet - Toggle Sprayer	3124	3371	4032	4140	5242	67

MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Golds	Page
5400	Contemporary PLP Pulldown Faucet - Lever Sprayer	2816	3040	3636	3733	4727	67
5410	Contemporary PLP Pulldown Faucet - Toggle Sprayer	2898	3129	3741	3842	4863	68
5500	Traditional Extended Reach PLP Pulldown Faucet	3076	3320	3970		5161	35
5600	Traditional PLP Pulldown Faucet	2923	3159	3775		4908	35
5610	Traditional PLP Pulldown Faucet - Angled Spout	3011	3250	3887		5053	35
5700	Contemporary Extended Reach PLP Pulldown Faucet - Lever Sprayer	3202	3456	4132	4245	5372	67
5800	Contemporary PLP Pulldown Faucet - Lever Sprayer	3076	3320	3970	4077	5161	67
5810	Contemporary PLP Pulldown Faucet - Angled Spout, Lever Sprayer	3170	3422	4092	4202	5320	68
5900	Contemporary Prep Size PLP Pulldown Faucet - Toggle Sprayer	2803	3027	3619	3716	4705	68
5910	Contemporary Prep Size PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2885	3116	3726	3826	4844	68
5930	Contemporary Prep Size PLP Pulldown Faucet - Lever Sprayer	2956	3194	3817	3921	4962	68
5940	Contemporary Prep Size PLP Pulldown Faucet - Angled Spout, Lever Sprayer	3046	3289	3933	4039	5113	68
6100-12	Towson Bridge Faucet - 12" Articulated Spout - Lever Handles	3670	3962	4735		6156	40
6100-18	Towson Bridge Faucet - 18" Articulated Spout - Lever Handles	3814	4118	4924		6401	40
6150-12	Towson Bridge Faucet - 12" Articulated Spout - Cross Handles	3886	4197	5016		6521	40
6150-18	Towson Bridge Faucet - 18" Articulated Spout - Cross Handles	4032	4355	5206		6768	40
6200	Annapolis Bridge Faucet - Lever Handles	3481	3757	4492		5840	40
6250	Annapolis Bridge Faucet - Cross Handles	3523	3804	4548		5912	40
6300	Hampton Bridge Faucet - Lever Handles	3045	3289	3931		5110	41
6350	Hampton Bridge Faucet - Cross Handles	3191	3444	4117		5352	41
7000	Digital Hot Tank	725					99
7600-12	Hunley Bridge Faucet - 12" Articulated Spout	3336	3602	4306	4422	5598	72
7600-18	Hunley Bridge Faucet - 18" Articulated Spout	3625	3914	4680	4807	6084	72
7800	Parche Bridge Faucet	2756	2975	3556	3652	4623	72
7825	Fulton Bridge Faucet	2827	3052	3649	3748	4744	72
8010-12	Towson Two Handle Kitchen Faucet - 12" Articulated Spout	2555	2757	3296		4285	43
8010-18	Towson Two Handle Kitchen Faucet - 18" Articulated Spout	2715	2931	3505		4557	43
8020	Annapolis Two Handle Kitchen Faucet	1976	2134	2551		3316	43
8030	Hampton Two Handle Kitchen Faucet	1948	2104	2516		3271	43
9010	Industrial Air Switch	480	519	620	636	806	83
9020	Industrial Single Port Air Gap	315	340	407	417	529	93
9030	Industrial Dual Port Air Gap	442	478	572	585	743	93
9065	Industrial Soap/Lotion Dispenser	509	550	658	675	855	83
9065E	Industrial Soap/Lotion Dispenser - Extended Spout	534	578	691	709	898	83
9300	Industrial Extended Reach PLP Pulldown Faucet - Toggle Sprayer	2445	2640	3156	3242	4103	84

MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Golds	Page
9302	Industrial 2 Handle Extended Reach PLP Pulldown Faucet - Toggle Sprayer	1855	2148	2366	2484	3076	89
9350	Modern Extended Reach PLP Pulldown Faucet - Toggle Sprayer	2353	2540	3037	3120	3948	57
9352	Modern 2 Handle Extended Reach PLP Pulldown Faucet - Toggle Sprayer	1869	2494	2496	2650	3245	61
9400	Industrial PLP Pulldown Faucet - Toggle Sprayer	2192	2367	2830	2907	3679	84
9402	Industrial 2 Handle Pulldown - Toggle Sprayer	1818	2109	2331	2447	3030	89
9410	Industrial PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2311	2494	2982	3062	3877	85
9412	Industrial 2 Handle PLP Pulldown Kitchen Faucet - Angled Spout, Toggle Sprayer	1821	2114	2460	2583	3198	90
9450	Modern PLP Pulldown Faucet - Toggle Sprayer	2101	2268	2712	2785	3526	57
9452	Modern 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1857	2221	2459	2620	3197	61
9460	Modern PLP Pulldown Faucet - Toggle Sprayer	2219	2396	2863	2942	3722	58
9462	Modern 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1772	2117	2463	2586	3202	62
9700	Industrial Extended Reach PLP Pulldown Faucet - Lever Sprayer	2848	3075	3676	3775	4779	84
9702	Industrial 2 Handle Extended Reach PLP Pulldown Faucet - Lever Sprayer	2244	2666	2599	2728	3379	89
9750	Modern Extended Reach PLP Pulldown Faucet - Lever Sprayer	2756	2977	3559	3654	4627	57
9752	Modern 2Handle Extended Reach PLP Pulldown Faucet - Lever Sprayer	1958	2354	2475	2598	3218	61
9800	Industrial PLP Pulldown Faucet - Lever Sprayer	2592	2799	3345	3435	4349	84
9802	Industrial 2 Handle PLP Pulldown Faucet - Lever Sprayer	2162	2582	2833	2974	3683	89
9810	Industrial PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2702	2917	3488	3582	4534	85
9812	Industrial 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2135	2554	2496	2620	3245	90
9850	Modern PLP Pulldown Faucet - Lever Sprayer	2499	2699	3227	3313	4195	57
9852	Modern 2 Handle PLP Pulldown Faucet - Lever Sprayer	1921	2316	2440	2562	3172	61
9860	Modern PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2610	2819	3370	3460	4381	58
9862	Modern 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	1925	2321	2444	2566	3177	62
9900	Industrial PLP Pulldown Faucet - Toggle Sprayer	2169	2342	2799	2874	3639	85
9902	Industrial Prep Size 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1818	2109	2456	2578	3193	90
9910	Industrial Prep Size PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2174	2348	2806	2883	3648	85
9912	Industrial Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1825	2118	2456	2580	3193	90
9930	Industrial Prep Size PLP Pulldown Faucet - Lever Sprayer	2560	2765	3305	3394	4297	85
9932	Industrial Prep Size 2 Handle PLP Pulldown Faucet, Lever Sprayer	2162	2582	2514	2639	3268	90
9940	Industrial Prep Size PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2566	2771	3312	3402	4306	85

MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Golds	Page
9942	Industrial Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2170	2590	2472	2595	3214	90
9950	Modern PLP Pulldown Faucet - Toggle Sprayer	2077	2242	2680	2752	3484	58
9952	Modern Prep Size 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1768	2114	2459	2581	3197	62
9960	Modern Prep Size PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2083	2249	2688	2761	3494	58
9962	Modern Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1777	2121	2467	2590	3207	62
9980	Modern Prep Size PLP Pulldown Faucet - Lever Sprayer	2468	2665	3185	3272	4141	58
9982	Modern Prep Size 2 Handle PLP Pulldown Faucet - Lever Sprayer	1921	2316	2440	2562	3172	62
9990	Modern Prep Size PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2475	2672	3194	3281	4152	58
9992	Modern Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	1928	2325	2447	2569	3181	62
10200	Fulton Industrial Extended Reach PLP Pulldown Faucet - Toggle Sprayer	2567	2771	3314	3404	4308	87
10202	Fulton Industrial Extended Reach 2 Handle PLP Pulldown Faucet - Toggle Sprayer	2014	2328	2497	2621	3246	91
10210	Fulton Industrial PLP Pulldown Faucet - Toggle Sprayer	2302	2486	2971	3053	3862	87
10212	Fulton Industrial 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1978	2291	2522	2648	3279	91
10220	Fulton Industrial PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2425	2618	3131	3215	4070	88
10222	Fulton Industrial 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1853	2145	2489	2613	3236	92
10230	Fulton Industrial Prep Size PLP Pulldown Faucet - Toggle Sprayer	2278	2459	2938	3018	3819	88
10232	Fulton Industrial Prep Size 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1850	2111	2546	2673	3310	92
10240	Fulton Industrial Prep Size PLP Pulldown Faucet - Angled Spout - Toggle Sprayer	2297	2490	2972	3051	3864	88
10242	Fulton Industrial Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1826	2009	2524	2650	3281	92
10250	Fulton Industrial Extended Reach PLP Pulldown Faucet - Lever Sprayer	2990	3227	3860	3965	5018	87
10252	Fulton Industrial Extended Reach 2 Handle PLP Pulldown Faucet - Lever Sprayer	2003	2401	2518	2643	3273	91
10260	Fulton Industrial PLP Pulldown Faucet - Lever Sprayer	2722	2939	3512	3608	4566	87
10262	Fulton Industrial 2 Handle PLP Pulldown Faucet - Lever Sprayer	2143	2578	2563	2691	3332	91
10270	Fulton Industrial PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2837	3063	3662	3761	4761	88
10272	Fulton Industrial 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2052	2469	2477	2599	3220	92
10280	Fulton Industrial Prep Size PLP Pulldown Faucet - Lever Sprayer	2703	2918	3487	3582	4533	88

MODEL #	DESCRIPTION	GRP 1	GRP 2	GRP 3	SS	Golds	Page
10282	Fulton Industrial Prep Size 2 Handle PLP Pulldown Faucet - Lever Sprayer	2147	2535	2566	2694	3336	92
10290	Fulton Industrial Prep Size PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2708	2936	3505	3598	4557	88
10292	Fulton Industrial Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2123	2432	2544	2671	3307	92
10300	Fulton Modern Extended Reach PLP Pulldown Faucet - Toggle Sprayer	2470	2667	3189	3276	4146	59
10302	Fulton Modern Extended Reach 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1865	2158	2501	2626	3251	63
10310	Fulton Modern PLP Pulldown Faucet - Toggle Sprayer	2205	2382	2846	2925	3700	59
10312	Fulton Modern 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1798	2143	2486	2610	3232	63
10320	Fulton Modern PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2329	2516	3007	3089	3909	60
10322	Fulton Modern 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1804	2149	2492	2616	3240	64
10330	Fulton Modern Prep Size PLP Pulldown Faucet - Toggle Sprayer	2180	2354	2813	2890	3657	60
10332	Fulton Modern Prep Size 2 Handle PLP Pulldown Faucet - Toggle Sprayer	1801	2116	2490	2614	3237	64
10340	Fulton Modern Prep Size PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	2200	2387	2849	2923	3704	60
10342	Fulton Modern Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Toggle Sprayer	1780	2014	2470	2593	3211	64
10350	Fulton Modern Extended Reach PLP Pulldown Faucet - Lever Sprayer	2894	3126	3737	3837	4858	59
10352	Fulton Modern Extended Reach 2 Handle PLP Faucet - Lever Sprayer	1964	2362	2481	2605	3225	63
10360	Fulton Modern PLP Pulldown Faucet - Lever Sprayer	2625	2834	3387	3480	4403	59
10362	Fulton Modern 2 Handle PLP Pulldown Faucet - Lever Sprayer	1949	2346	2467	2590	3207	63
10370	Fulton Modern PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2740	2960	3538	3634	4599	60
10372	Fulton Modern 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	1956	2352	2473	2596	3215	64
10380	Fulton Modern Prep Size PLP Pulldown Faucet - Lever Sprayer	2592	2799	3344	3437	4347	60
10382	Fulton Modern Prep Size 2 Handle PLP Pulldown Faucet - Lever Sprayer	1953	2318	2470	2593	3211	64
10390	Fulton Modern Prep Size PLP Pulldown Faucet - Angled Spout, Lever Sprayer	2613	2836	3384	3474	4399	60
10392	Fulton Modern Prep Size 2 Handle PLP Pulldown Faucet - Angled Spout, Lever Sprayer	1930	2216	2449	2571	3184	64
AS-414	Safety Valve Leak Detector	209					100



POLICIES

UNILATERAL MINIMUM RETAIL PRICE (UMRP)

This policy became effective on January 1st 2017, all distributors and dealers doing business with WATERSTONE on and after that date are bound to the terms and conditions of this policy.

Waterstone Faucets is dedicated to providing our distributors and dealers with the highest quality, most innovative products sold through superior sales and marketing support. With this company objective in mind, Waterstone Faucets is introducing its Unilateral Minimum Retail Price (UMRP) Policy in order to maintain proper positioning of our products in the marketplace, to define guidelines for the use of Waterstone patented, trademarked and copyrighted product and materials, and to solidify and preserve a consistent value for our distributors and dealers.

UNILATERAL POLICY GUIDELINES -

Each distributor and dealer remains free to determine for itself the resale prices at which it will sell and promote its products and each distributor or dealer is free to independently decide whether or not to follow the WATERSTONE UMRP policy. WATERSTONE does not ask for, nor will it accept, any assurance of compliance or agreement from a distributor or dealer regarding the UMRP policy. WATERSTONE is unilaterally implementing the Policy. WATERSTONE will determine whether or not distributors and dealers are in violation of the UMRP policy and will enforce the policy as it is warranted. All Decisions by WATERSTONE to take action for a violation of the UMRP Policy are final. There will be no negotiations.

The UMRP policy applies to discounted products, clearance items and closeouts; no more than 25% off list price. Products may be sent to us for repair to return them to their original saleable condition, therefore, the need for clearances and closeouts is unwarranted.

UMRP POLICY TERMS AND CONDITIONS -

WATERSTONE has established a Minimum Advertised Price (MAP) for all products. The Waterstone MAP is calculated at .75 times (25%) off current Waterstone Retail List Price in effect. This means that the advertised "Net Price" to the end user (The Waterstone Retail list price less all discounts, coupons, allowances, and free goods or services offered with Waterstone Products) must not be below the current WATERSTONE MAP. WATERSTONE may engage in monitoring of advertised prices of Product sales in all channels, whether directly or via the use of third parties. Third parties retained by WATERSTONE may engage in monitoring of Product sales by distributors and dealers to verify that the terms of this Policy are being upheld. WATERSTONE reserves the right to change the MAP on 30 days written notice.

The UMRP policy applies to any and all advertisements, quotes, bids, estimates and invoices in all media including, but not limited to, inserts, newspapers, magazines, catalogs, public signage, billboards, and any other print media, television, radio, email, internet websites or other commerce, flyers, posters, coupons, brochures, and use of hypertext transfer protocol or internal links to a web based shopping cart and any other electronic media.

At no time may a distributor or dealer make any statements or other indication on any advertisements that a price below WATERSTONE'S MAP can be obtained by contacting the distributor or dealer, visiting the distributor or dealer showroom, clicking through to another price on a website, or any other means. A distributor or dealer may not use any WATERSTONE name(s), trademark(s), logo(s), patent(s) or products names(s), in a way that is not in accordance with this Policy or violates WATERSTONE'S MAP. This includes all product images, brand logos and any and all copyrighted materials.

VIOLATIONS -

In the event that a distributor or dealer violates this policy:

FIRST VIOLATION – WATERSTONE will notify the offending distributor or dealer in writing of the violation. The distributor or dealer will have ten (10) calendar days to correct the violation of the UMRP Policy and comply with WATERSTONE MAP.

If the distributor or dealer fails to correct the violation within the provided time, WATERSTONE will decrease the discounted price at which the distributor or dealer purchases WATERSTONE products by 10 percent for a period of ninety (90) calendar days. Additionally, WATERSTONE will remove the distributor or dealer from all links and listing on WATERSTONE'S website, and the distributor or dealer will be suspended from all sales programs offered to the distributor or dealer including but not limited to rebates, early pay incentives, freight programs, and sales incentives. If at the end of the 90 day suspension period the distributor or dealer has complied with the policy and not otherwise violated the MAP, then the distributor or dealer will be reinstated to full status, and the suspended distributor or dealer programs will be re-started.

However, if the distributor or dealer continues to be in violation of the UMRP policy at the end of the ninety (90) day suspension period, it will be considered a second violation.

SECOND VIOLATION – At this time all pending orders will be immediately cancelled, and WATERSTONE will not accept any new orders. WATERSTONE will notify the distributor or dealer in writing and at its own discretion and without liability under any existing contracts or agreements, initiate the process to terminate the distributor or dealer authorization to sell WATERSTONE products.

TERMS AND CONDITIONS

PAYMENT TERMS:

Regular payment terms are Net 30 days, DOI with credit approval. Waterstone also accepts payments made by VISA, MASTERCARD, AMERICAN EXPRESS and DISCOVER credit cards. Starting October 1, 2022 – If you choose to pay your invoice(s) with a credit card, you'll be charged a 3% surcharge. We do not accept debit card payments.

Waterstone shall have the option to charge 1 ½% interest on all past due accounts monthly. In the event of legal action to collect any past due amounts, the buyer shall be responsible for all attorney collection fees, court costs or other fees reasonable and proper for such collection(s).

FREIGHT:

All orders are F.O.B. Murrieta, CA. In general, all goods are shipped UPS ground unless otherwise specified by the customers Purchase Order. Shipments that can be consolidated to a pallet size may be shipped via common carrier. Customer preferred shippers or method of shipment will be accommodated providing such preference is listed on the customers Purchase Order.

PRICING:

All prices and terms are subject to change without notice.

CLAIMS:

All claims for shortages or damages must be made within ten (10) days from receipt of merchandise. Claims for merchandise delivered damaged must be filed with the delivery carrier within 7 days. Request an immediate inspection by the carrier.

RETURNS:

All returns are subject to the terms and conditions of the Waterstone warranty. A RETURNED GOODS AUTHORIZATION number (RGA #) must be obtained by the customer from the Waterstone Customer Care Department prior to any merchandise return. The RGA # must appear on the return packing slip/document and a copy of the approved pending RGA form must be in the box with the returned unit. Upon inspection, Waterstone, at its option will either repair or replace the item if the defect falls under the guidelines of the warranty. New, unused and sealed merchandise in its original packaging of current design purchased within the last 12 months that is accepted by the Company for return is subject to a 35% restocking charge. If the product returned is damaged by the recipient or damaged in transit for return, Waterstone has the right to rescind the restock fee and charge up to the full purchase price of the unit. All credits provided for returned product or otherwise are only valid for 90 days from date of approval and issue by Waterstone. If unused by the recipient after 90 days the credit is null and void, and the RGA product will not be returned. Credits can only be used for Waterstone merchandise.

DEFAULT:

If a customer is in default under any order of contract with Waterstone, or if Waterstone at any time shall not be satisfied with its customer's financial condition or responsibility, Waterstone shall have the right, without prejudice, to legal remedy including suspending deliveries until such default or condition is remedied.

TITLE:

All merchandise is sold subject to these conditions and shall remain the property of Waterstone until paid for in full, with the provision that all risk of loss or damage to merchandise is assumed by the customer.

ORDER FULFILLMENT POLICY

1. The customers order will be entered into the order fulfillment system on the day the order is received, providing the order is received by 2pm Pacific Standard Time.
2. An order confirmation will be faxed or emailed to the customer within one working day of the entry of the order into the order fulfillment system. The order confirmation will contain anticipated ship date information and a listing of all items and the customers cost pricing of these items.
3. The factory will endeavor to ship all orders received as quickly and completely as possible in a single shipment.
4. The factory will ship a customer's order complete whenever the customer places such a request in the body of their purchase order. Without this specific written request, Waterstone will ship partial shipments as they become available.

DROP SHIP POLICY

WATERSTONE DROP SHIPMENT OUT OF REPRESENTATIVES REGION POLICY

1. Waterstone is committed to keeping our direct customers "selling field" as level and even as possible. Our customers invest in product displays, inventory, training of their sales staff, etc. Therefore, we wish to assist our customer's efforts to obtain excellent margins when selling our products.
2. Waterstone will accept all orders from our direct purchase customers in qualified credit status and ship those orders to the customer's immediate local trading area. Any customer may certainly re-ship our product(s) after they receive them at their location of business.
3. We will drop ship our product(s) for our direct purchase customer(s) within the geographic boundaries of their assigned Representatives Selling Region. We will not drop ship outside of these areas.

LIMITED LIFETIME FUNCTIONAL WARRANTY

Since 1999, Waterstone has manufactured the highest quality kitchen faucets. We support our workmanship with a Limited Lifetime Functional Warranty. All Waterstone products manufactured by Waterstone carry a Limited Lifetime Guarantee against functional defects in material or workmanship in a residential application. Waterstone products will be free from defects in material and manufacturing workmanship, however, any damage due to improper installation, product abuse, product misuse, improper maintenance, alterations or accidents by a contractor, service company, or homeowner, are excluded from this warranty. Proof of purchase, from the original consumer, must accompany all warranty claims.

In the event of a problem with the product, Waterstone has the option to repair or replace the defective part/product, at our discretion, and may require the product be returned for inspection. If the product should develop any leaks or functionality issues, Waterstone will provide the necessary parts, at no cost, in order to return the faucet to fully functional condition.

Waterstone is not responsible for any labor charges incurred by the purchaser to repair, replace, install or remove the product(s). Waterstone is not responsible for any indirect, incidental or consequential damages, losses, injury or costs, of any nature, relating to the product, except as provided by law. This warranty is in lieu of and excludes all other warranties, conditions and guarantees, whether expressed or implied, statutory or otherwise, including, without restriction, those of merchantability or of fitness for use.

This warranty is valid only when products are purchased through an Authorized Waterstone Dealer/Distributor. Waterstone will not honor this warranty if the products are purchased from any unauthorized dealer, third-party vendor or online seller. The warranty applies to Waterstone faucets installed in the United States of America, Canada and Mexico only.

Products not manufactured by Waterstone, but distributed by Waterstone will carry only the original manufacturer's warranty.

WARNING - Since 2005, Waterstone has continued to advise all of our customers against the installation of any brand of in-line water chiller unit with our faucets. Compressor style chiller units have been proven to arbitrarily exceed the standard household in-line pressure ratings, causing the faucet inlet connection line to burst and create the potential for water damage claims in the field.

INSTALLATION OR USE OF AN IN-LINE WATER CHILLER WITH A WATERSTONE FAUCET, OF ANY KIND, WILL VOID THE WARRANTY. Waterstone will only recommend the installation of a water chiller in the vented side (in place of a hot tank) with one of our Hot Only or Hot and Cold Filtration Faucet models.

This warranty gives you specific legal rights, and you may also have other rights which vary from state/province to state/province. The above limitations or exclusions may not apply to you.

For warranty claims or replacement parts, contact Waterstone customer service:

1-888-304-0660

support@waterstoneco.com

Hours are from 6:00am to 5pm PST

Waterstone Faucets, LLC
41180 Raintree Court
Murrieta, CA 92562

CARE AND CLEANING

ATTENTION: Waterstone offers many finishes for its products. Every finish is unique and requires different techniques for care and cleaning. Find your product's finish in the sections below, and carefully read and follow directions for that finish.

CLEAR PROTECTIVE COATED FINISHES

ABOUT YOUR FINISH:

These finishes have a clear protective coating on them. Even though they have a protective coating, they are only considered semi-durable. If the outside clear coating is scratched or damaged in any way, the base metal finishes exposed will oxidize. Always wipe your fixture down with a clean soft cloth and keep it clean and dry after use.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. Never use any type of abrasive pad, cloth or sponge. This can remove or dull the protective coating and damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation.

SUGGESTED FINISH MAINTENANCE PROCEDURE:

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by using a mild diluted glass cleaner (we recommend Windex). Apply the mild cleaner to a soft clean cloth, and periodically wipe your fixture down to remove water spots and surface debris.

Antique Brass - AB
Antique Copper - AC
American Bronze - AMB
Antique Pewter - AP
Chardonnay - CD
Classic Bronze - CLZ
Dist. Antique Brass - DAB
Dist. Antique Copper - DAC
Dist. American Bronze - DAMB
Dist. Antique Pewter - DAP
Matte Antique Brass - MAB
Matte Antique Copper - MAC
Matte Antique Pewter - MAP
Polished Brass - PB
Polished Copper - PC
Satin Brass - SB
Satin Nickel - SN

POWDER COATED FINISHES

ABOUT YOUR FINISH:

These finishes are powder coated color finishes. They have **NO ADDITIONAL PROTECTIVE COATING**. These finishes are not considered durable finishes and can be scratched, chipped or scuffed. If the exterior color coating is damaged, the exposed metal base will oxidize. Always wipe your fixture down with a clean soft cloth and keep it clean and dry after use.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. Never use any type of abrasive pad, cloth or sponge. This can remove, dull or damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation.

SUGGESTED FINISH MAINTENANCE PROCEDURE:

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by using a mild diluted glass cleaner (we recommend Windex). Apply the mild cleaner to a soft clean cloth, and periodically wipe your fixture down to remove water spots and surface debris.
3. Never use cleaners with bleach, abrasives, or vinegar. Never use any type of abrasive pad or sponge.

Chocolate Bronze - CHB
Graphite - GR
Matte Black - MB
Matte White - MW

PLATED FINISHES: BLACK NICKEL / SATIN CHROME

ABOUT YOUR FINISH:

These finishes are the most durable finishes Waterstone offers. The best general maintenance is regular cleaning. Trapped moisture on the surface of your finish can lead to staining. Chrome plated finishes are very tarnish resistant. However, they are not indestructible and can scratch and mar.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. Never use any type of abrasive pad, cloth or sponge. This can remove or dull the protective coating and damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation.

SUGGESTED FINISH MAINTENANCE PROCEDURE:

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by using a mild diluted glass cleaner (we recommend Windex). Apply the mild cleaner to a soft clean cloth, and periodically wipe your fixture down to remove water spots and surface debris.

Black Nickel - BLN
Satin Chrome - SC

CARE AND CLEANING

LIVING FINISHES

ABOUT YOUR FINISH:

These finishes are considered Living Finishes and have **NO PROTECTIVE COATING** on them. Living finishes are finishes that have a very shallow patina on their surface. Essentially, the finish is what nature would do to the surface over a long period of time. The finishes are intended to change with time and generally darken slightly where they are not being touched, and highlight where the high use points are on the fixture. These finishes are not durable, and are easily scratched or scuffed. Waterstone initially applies a wax to the finish surface to help protect and prevent the finish from exposure to air and oxidizing prior to installation.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. In addition, hand oils, soaps, and acidic fluids can damage the finish. Never use any type of abrasive pad, cloth or sponge. This can remove, dull or damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation. Waterstone does not warranty these finishes **AFTER** the fixture has been installed.

SUGGESTED FINISH MAINTENANCE PROCEDURE FOR ANTIQUE BRONZE, CARIBBEAN BRONZE, TUSCAN BRONZE AND UNLACQUERED POLISHED BRASS:

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by using a micro-crystalline wax (we recommend Renaissance Wax). Apply the wax with a soft non-abrasive tissue paper, and gently buff the wax with a soft clean cloth to help remove surface spots and add a protective coating to the finish.

SUGGESTED FINISH MAINTENANCE PROCEDURE FOR BLACK-OIL RUBBED BRONZE

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by applying mineral oil to a clean soft cloth and gently wiping down the finish surface to clean. Make sure not to rub too hard, in that you can remove too much of the surface patina surface with aggressive cleaning.
3. Once the mineral oil has been applied, with a clean soft dry cloth gently pat the finish surface to remove any excess oil on the fixture until the fixture no longer looks "wet".

PLATED FINISHES: CHROME / POLISHED NICKEL

ABOUT YOUR FINISH:

Polished Nickel is one of the most durable finishes Waterstone offers. The best general maintenance is regular cleaning. Always try and keep your finishes clean and dry. Trapped moisture on the surface of your finish can lead to staining. Nickel plated finishes are very tarnish resistant. However, they will tarnish over time from hand oils and exposure if not regularly cleaned and polished. They are not indestructible and can be scratched and marred.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. Never use any type of abrasive pad, cloth or sponge. This can remove or dull the protective coating and damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation.

SUGGESTED FINISH MAINTENANCE PROCEDURE:

Cleaning Supplies: isopropyl alcohol, Microfiber cloth.

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by applying isopropyl alcohol with a soft clean cloth to gently remove surface spots.

SUGGESTED PROCEDURE FOR CLOUDY, TARNISHED OR WATER SPOTTED FIXTURES:

Cleaning Supplies: Simichrome polish, Microfiber cloth (2), (Optional: Flitz Faucet Wax)

1. Prepare the location by following the maintenance procedure listed above
2. In a well ventilated area apply a small amount of polish to the trouble spot on the faucet.
3. Using the microfiber cloth polish until cloth turns black or trouble spot is removed, take care to remove all excess polish.
4. Buff Surface with clean microfiber cloth to a brilliant luster.
5. (Optional) Using clean cloth apply Flitz faucet wax to all areas and let dry to a haze
6. (Optional) Buff wax until haze is gone.

Antique Bronze - ABZ
Black-Oil Rubbed Bronze - ORB
Caribbean Bronze - CB
Tuscan Brass - TB
Unlacquered Polished Brass - UPB

Chrome - CH
Polished Nickel - PN

CARE AND CLEANING

316 MARINE GRADE STAINLESS STEEL

Stainless Steel - SS

ABOUT YOUR FINISH:

Waterstone's stainless steel fixtures are actually made of solid 316 stainless steel. This finish has **NO PROTECTIVE COATING** on it. Stainless steel is by its material nature very tarnish resistant, but by no means tarnish or stain proof. This finish will indeed oxidize naturally over time and react to its environment, and in a reaction to some chemical cleaners that have bleach in them rusting can be induced on the finish. Keep your stainless fixture wiped clean and dry, and use only a cleaner specifically made for stainless steel. Trapped moisture on the surface of your finish can lead to staining.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. Never use any type of abrasive pad, cloth or sponge. This can remove, dull or damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation.

SUGGESTED FINISH MAINTENANCE PROCEDURE:

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done by applying a "stainless steel cleaner" with a soft clean cloth to gently remove surface spots and brighten the finish.

PRECIOUS METALS

Polished Gold - PG
Satin Gold - SG

ABOUT YOUR FINISH:

These finishes are made with real precious metal gold plating on top of the brass fixture surface. These finishes are considered Living Finishes, have **NO PROTECTIVE COATING** and are extremely soft. Some or all of the gold plating will be removed if any type of polish is used. Additionally, the finish will wear away with time. The gold plating is considered very delicate and can be easily scratched or scuffed.

CLEANING CAUTION:

Never use cleaners with bleach, abrasives, vinegar or acidic organic cleansers. Never use any type of abrasive pad, cloth or sponge. This can remove, dull or damage the finish.

IMPORTANT NOTICE:

It is the responsibility of the customer to check for any material finish defects **BEFORE** installation. Waterstone does not warranty these finishes **AFTER** the fixture has been installed.

SUGGESTED FINISH MAINTENANCE PROCEDURE:

1. Do not allow water spots to dry on the fixture. Keep the surface clean and dry after use.
2. Periodic cleaning can be done with mild liquid soap only. Wipe gently with a soft cloth to clean.

FINISH WARRANTIES

For a warranty claim for finish, a valid dated bill of sale or receipt from purchase must accompany any warranty request. This warranty is for normal wear and tear of finish surface, the warranty will be void for unintended use damage, lack of cleaning or improper cleaning and maintenance techniques directly resulting in a damaged finish.

LIFETIME WARRANTY

Waterstone carries a lifetime warranty on the following finishes:

Chrome - CH
Stainless Steel - SS

7 YEAR WARRANTY

Waterstone carries a 7 year warranty for the original purchaser from the date of sale. Warranty applies to normal wear for the following finishes:

Antique Brass - AB
Antique Copper - AC
American Bronze - AMB
Antique Pewter - AP
Black Nickel - BLN
Chardonnay - CD
Chocolate Bronze - CHB
Classic Bronze - CLZ
Distressed Antique Brass - DAB
Distressed Antique Copper - DAC
Distressed American Bronze - DAMB
Distressed Antique Pewter - DAP
Graphite - GR
Matte Antique Brass - MAB
Matte Antique Copper - MAC
Matte Antique Pewter - MAP
Matte Black - MB
Matte White - MW
Polished Brass - PB
Polished Copper - PC
Polished Nickel - PN
Satin Brass - SB
Satin Chrome - SC
Satin Nickel - SN

NO WARRANTY

Waterstone does not offer a warranty on living or gold finishes. The rate of deterioration will vary either from exposure to chemicals, perspiration, climate conditions, or other factors. Tarnishing or excessive wear of these finishes is therefore, not a defect, but a normal process, which is unavoidable. Under these circumstances, products will not be repaired or replaced under warranty for normal tarnishing or wear finishes.

Antique Bronze - ABZ
Caribbean Bronze - CB
Black-Oiled Rubbed Bronze - ORB
Polished Gold - PG
Satin Gold - SG
Tuscan Brass - TB
Unlacquered Polished Brass - UPB

SPLIT FINISHES

Standard split finish warranty applies to the lesser of the two warranties.

Chrome - CH
Chardonnay - CD
Classic Bronze - CLZ
Matte Black - MB
Matte White - MW
Polished Brass - PB
Polished Nickel - PN
Satin Brass - SB
Satin Nickel - SN
Stainless Steel - SS
Unlacquered Polished Brass - UPB

Custom split finishes have no finish warranty and are not eligible for returns.

FINISH GROUPS

GROUP 1 - STANDARD FINISHES

Chrome	CH
Polished Nickel	PN
Unlacquered Polished Brass	UPB

GROUP 2 - SPECIALTY FINISHES

Black Nickel	BLN
Chardonnay	CD
Chocolate Bronze	CHB
Classic Bronze	CLZ
Graphite	GR
Matte Black	MB
Matte White	MW
Polished Brass	PB
Satin Brass	SB
Satin Chrome	SC
Satin Nickel	SN

GROUP 3 - ARTISAN FINISHES

Antique Brass	AB
American Bronze	AMB
Antique Bronze	ABZ
Antique Copper	AC
Antique Pewter	AP
Black Oiled Rubbed Bronze	ORB
Caribbean Bronze	CB
Distressed Antique Brass	DAB
Distressed Antique Copper	DAC
Distressed American Bronze	DAMB
Distressed Antique Pewter	DAP
Matte Antique Brass	MAB
Matte Antique Copper	MAC
Matte Antique Pewter	MAP
Polished Copper	PC
Tuscan Brass	TB

316 MARINE GRADE STAINLESS STEEL

Stainless Steel	SS
-----------------	----

PRECIOUS METALS

Polished Gold	PG
Satin Gold	SG

SPLIT FINISHES

Choose a primary and accent finish to create a two-tone faucet on select products. Create any combination of the finishes we offer for that faucet.

Standard split finishes are +10% of higher group price. Custom-designed split finishes are +40% of the higher group price.

LIVING FINISHES

Waterstone does not offer a warranty on living or gold finishes.

The rate of deterioration will vary either from exposure to chemicals, perspiration, climate conditions, or other factors.

Tarnishing or excessive wear of these finishes is, therefore, not a defect, but a normal process, which is unavoidable.

Under these circumstances, products will not be repaired or replaced under warranty for normal tarnishing or wear finishes. Living finishes include:

Antique Bronze**Black Oiled Rubbed Bronze****Caribbean Bronze****Tuscan Brass****Unlacquered Polished Brass**

GROUP 1



Chrome



Polished Nickel



Unlacquered
Polished Brass*



316 Stainless Steel



Polished Gold



Satin Gold

STAINLESS STEEL

PRECIOUS METALS

GROUP 2



Black Nickel



Chardonnay



Chocolate Bronze



Classic Bronze



Graphite



Matte Black



Matte White



Polished Brass



Satin Brass



Satin Chrome



Satin Nickel

GROUP 3



Antique Brass



American Bronze



Antique Bronze*



Antique Copper



Antique Pewter



Black Oil Rubbed
Bronze*



Caribbean Bronze*



Distressed Antique
Brass



Distressed Antique
Copper



Distressed American
Bronze



Distressed Antique
Pewter



Matte Antique Brass



Matte Antique
Copper



Matte Antique
Pewter



Polished Copper



Tuscan Brass*



SPLIT
FINISHES
AVAILABLE

* Living finish



P.O. BOX 1240 TEMECULA, CA 92593
888-304-0660
www.waterstoneco.com

